

*Colonial and  
Early English  
Hardware*

Good Buildings Deserve Good Hardware






# COLONIAL AND EARLY ENGLISH HARDWARE

ALTHOUGH the title of this book is "Colonial and Early English Hardware" it will be found to contain a wide and comprehensive range of designs. At the time of its first edition, these architectural styles were predominate — and still are in point of actual use — but there has since been a growth in the tendency to employ the characteristics of the Spanish and French.

The so-called Mediterranean style has developed, combining the Italian and Spanish and has rapidly gained favor, especially in the warmer climates. One also notes, in the adaptations and diversifications of other styles an effort to create distinctive buildings.

These conditions have prompted the inclusion of the many designs to be found herein. The general line, however, will continue to be known by its original title, under which it has gained a most valuable reputation.



P. & F. CORBIN

The American Hardware Corporation, Successor

NEW BRITAIN, CONN., U. S. A.

NEW YORK

CHICAGO


PHILADELPHIA

*Catalog No. K553*

*Copyright 1931, P. & F. Corbin*

Printed in U. S. A.





*A beautiful entrance enhanced by*  
**CORBIN HARDWARE**

ENTRANCE DOOR HANDLE  
NO. 56484  
(See page 18)

ENTRANCE DOOR KNOCKER  
NO. 7380  
(See page 32)

HINGE PLATES  
NO. 7723  
(See page 34)

The use of studs, as shown, was common on the old batten or slab type doors and today adds a striking touch of realism. Studs No. 7657 (shown on p. 47) were used on this door.



## Introduction

DEVELOPMENT of Colonial and Early English Hardware to its present scope, as presented in this edition, has closely followed the swing of architecture to the styles of traditional America and Europe. First indications of a widespread enthusiasm for buildings in these styles found Corbin prepared to make available a new and distinct type of hardware, interpreting the work of the blacksmith hardware-maker of olden times.

With a first hand knowledge of modern builders' requirements and an acquired intimacy with the products and methods of the old craftsmen, pieces were carefully chosen from among the best known patterns of Early America and Europe, for reproduction. The interesting crudities and irregularities of the originals were religiously preserved. The atmosphere of the forge, the romance of iron and laborious methods of hand work, inseparably mingled in the products of the early iron worker, were portrayed with remarkable faithfulness, and with a restraint and absence of exaggeration that is truly fine.

Yet, in matters of mechanical function, modern standards of practicality have been ingeniously maintained. Butts and hinges work freely and without creak or groan. Thumb latches do not rattle. Catches and fasteners operate smoothly. Handles and knobs are made for use with modern, secure locks. For while architects and builders have unfolded before us the charm and beauty of these styles, there is no inclination toward a backward step from modern ideals of efficiency, comfort or convenience.

Architecture has constantly expanded the possibilities of creating distinctive buildings, employing new and unexplored phases of the old styles, or as is frequently done, combining two or more in a single, charming house. Corbin keeps apace adding new designs to suit new trends, and adopting new items found necessary to a complete hardware equipment.

In this edition of Colonial and Early English Hardware a wide range of patterns is offered, each strongly suggestive of a particular architectural style. The simple forms of the Colonial are distinct from the delicate traceries of the Spanish and the more detailed elaborations of the English and French. In some instances though, it is extremely difficult to draw definite lines of classification because of the curious commingling of design motives in many of the old schools. However, each piece carries an unmistakable relation to traditional architecture and one may choose from several pat-

terns for any particular style with the assurance that each will reflect the spirit of its surroundings.

The hardware for entrance doors was easily the object of greatest consideration and effort with early workers of the trade. Hinges, knockers and door handles for these doors were ornamental in character, made to beautify as well as to serve a practical purpose. Today too, this part of the hardware equipment is of major importance. Many suggestions for selecting designs for the various types of entrances will be found in this book.

In most cases, the equipment for interior doors may be had in the same design characteristics as the hardware selected for the entrance door, although greater freedom in the use of thumb latches, knobs and escutcheons, H and HL hinges, etc., is possible when desired. All of the many items for cupboards, casements, shutters, etc., necessary for complete equipment, are available in Colonial and Early English Hardware, making possible a highly desirable consistency of treatment throughout the building.

### FINISHES — PART I

The pieces in Part I of this catalog are made in colonium metal, bronze or brass. Colonium metal is a contribution of Corbin research to the craft of reproducing the old iron work to modern standards of practicality. It is a compound metal with the grayish color and rugged texture of iron, yet it is absolutely rustless. Through its use, damaging rust streaks on woodwork have been effectively eliminated. Wear will not change its appearance since the base metal furnishes the predominating color of the finish.

The ordering symbol for articles made in colonium metal and finished in a grayish, hand-hammered, half polished treatment is EH. This symbol should be prefixed to the number of the article.

When a simulation of the black finish, often applied to iron in the early days by dipping the hot metal in oil, or by painting it, is wanted, the symbol DH should be prefixed to the number. The articles are then made in bronze and treated with a durable, black coating.

Brass or bronze, when treated in the manner of colonium metal, takes on a beautiful, rich color and shows, with striking effect, the interesting marks of the finishing hammer. Pieces in Part I will be furnished in hand-hammered, antique bronze when the symbol BH is prefixed to the number, or in brass when indicated by the symbol AH.



## Index to Part I

## Designs

6

<i>Design Name</i>	<i>(Suggested for Architectural styles)</i>	<i>Page</i>
SOMERSET . . . . .	English Manor Types . . . . .	16, 17
MAYFIELD . . . . .	English Cottage Types (Also French) . . . . .	18
LAVERSTOCK . . . . .	English (Highly Ornamental) . . . . .	19
SHREWSBURY . . . . .	Styles with Gothic Features . . . . .	20
MARLBORO . . . . .	Modern Versions of the Traditional Styles. . . . .	20
CONCORD . . . . .	New England Colonial . . . . .	21
POTTSVILLE . . . . .	Dutch Colonial Styles . . . . .	21
STOCKBRIDGE . . . . .	New England Colonial . . . . .	22
MONTGOMERY . . . . .	All Colonial Styles . . . . .	22
PLYMOUTH . . . . .	All Colonial Styles . . . . .	23
DOUVAINE . . . . .	French Chateau Types . . . . .	23
MONTREUIL . . . . .	Norman Styles . . . . .	24
PAMPLONA . . . . .	Spanish Styles . . . . .	24
SEVILLE . . . . .	Spanish and Italian Styles . . . . .	25
TERRANOVA . . . . .	Mediterranean Style (Spanish-Italian) . . . . .	25
BURGOS . . . . .	Spanish Styles . . . . .	26
TOLEDO . . . . .	Spanish Styles (Highly Ornamental) . . . . .	27
MONTEREY . . . . .	Spanish Styles . . . . .	28

## Articles

<i>Article</i>	<i>Page</i>	<i>Article</i>	<i>Page</i>	<i>Article</i>	<i>Page</i>
Adjuster, Casement . . . . .	51	Grips . . . . .	31	Plates, Hinge, for Entrance Doors . . . . .	16, 18-27, 33, 36
Auxiliary Roses . . . . .	45	H and HL Hinge Plates . . . . .	17, 37	Plates, Hinge, for Shutters . . . . .	33
Bar Latches . . . . .	39	H and HL Hinges . . . . .	17, 38	Plates, Offset Hinge . . . . .	18, 33
Bar, Reverse Bevel Latch and Strike . . . . .	47	Handles, Entrance Door . . . . .	16, 18, 20-26, 32	Plates, Ornamental Hinge . . . . .	34-36
Bolts . . . . .	17-52	Handles, Drop . . . . .	16, 41	Plates, H and HL Hinge . . . . .	17, 37
Button, Locking . . . . .	46	Handles, Interior Door . . . . .	46	Plates, Letter Drop . . . . .	16, 26
Buttons, Electric Push . . . . .	16, 18-26, 28, 32	Handles, Lever . . . . .	16, 27-29, 44, 45	Plates, Push . . . . .	16, 30
Butts . . . . .	38	Hinge Plates, for Cabinets . . . . .	39	Pulls, Door . . . . .	31
Casement Adjuster . . . . .	51	Hinge Plates, for Entrance Doors . . . . .	16, 18-27, 33-36	Pulls, Drawer . . . . .	39
Casement Fasteners . . . . .	17, 48-50	Hinge Plates, H and HL . . . . .	17, 37	Pulls, Ring Door . . . . .	31
Collars, Cylinder . . . . .	16, 18, 20-26, 28, 32	Hinge Plates, Offset . . . . .	18, 33	Push Buttons, Electric . . . . .	16, 18-26, 28, 32
Collars, Cylinder, with Dust Cap . . . . .	22, 25, 28	Hinge Plates, Ornamental . . . . .	34-36	Push Plates . . . . .	16, 30
Cupboard Hardware . . . . .	39	Hinge Plates, for Shutters . . . . .	33	Quadrant, for Dutch Doors . . . . .	51
Dog, Shutter . . . . .	51	Hinges, H and HL . . . . .	17, 38	Reverse Bevel Latch Bar and Strike . . . . .	47
Door Knobs . . . . .	16, 18-26, 28, 29, 40, 41	Interior Door Handles . . . . .	46	Ring Door Pull . . . . .	31
Door Knockers, Entrance . . . . .	16, 18, 20-28, 32	Key Escutcheons . . . . .	16, 20-26, 28, 42, 43	Roses, Auxiliary . . . . .	45
Door Pulls . . . . .	31	Knobs, Door . . . . .	16, 18-26, 28, 29, 40, 41	Roses, for Drop Handle . . . . .	16, 41
Door Pulls, Ring . . . . .	31	Knobs, Drawer . . . . .	39	Roses, for Knobs . . . . .	16, 20-26, 28, 40, 41
Door Stops . . . . .	47	Knobs, Thumb . . . . .	16, 20-26, 28, 43	Roses for Levers . . . . .	16, 28, 44, 45
Drawer Knobs . . . . .	39	Knockers, Entrance Door . . . . .	16, 18, 20-28, 32	Safety Closet Spindle . . . . .	41
Drawer Pulls . . . . .	39	Latches, Bar . . . . .	39	Sash Fastener . . . . .	51
Drop Handles . . . . .	16, 41	Latches, Thumb . . . . .	46	Sash Hardware . . . . .	51
Dutch Door Quadrant . . . . .	51	Letter Drop Plates . . . . .	16, 26	Sash Lifts . . . . .	51
Electric Push Buttons . . . . .	16, 18-26, 28, 32	Lever Handles . . . . .	16, 27-29, 44, 45	Sectional Trims . . . . .	27
Entrance Door Handles . . . . .	16, 18, 20-26, 32	Lifts, Sash . . . . .	17, 51	Shutter Dog . . . . .	51
Entrance Door Knockers . . . . .	16, 18, 20-28, 32	Lock, Rim Knob . . . . .	17	Spindle, Safety Closet . . . . .	41
Escutcheons, Entrance Door . . . . .	16, 18, 19, 27, 29	Locking Button . . . . .	46	Stops, Door . . . . .	47
Escutcheons, Interior Door . . . . .	16, 18, 19, 29	Locks (See page 87) . . . . .		Strikes, Reverse Bevel for Thumb Latches . . . . .	47
Escutcheons, Key . . . . .	16, 20-26, 28, 42, 43	Numerals . . . . .	47	Studs . . . . .	47
Fasteners, Casement . . . . .	17, 48-50	Olive Knuckle Butt . . . . .	38	Thumb Knobs . . . . .	16, 20-26, 28, 43
Fasteners, Sash . . . . .	51	Plates, Hinge, for Cabinets . . . . .	39	Thumb Latches . . . . .	46





## Index to Part I


### Numbers

No.	Page	No.	Page	No.	Page	No.	Page	No.	Page	No.	Page
510	46	7193	42	7600	30	7940	41	51261	20	53361	23
512	46	7200	43	7602	30	50003	28	51268	20	53368	23
560	46	7201	42	7603	30	50004	28, 45	51278	46	53384	23
564	46	7202	43	7604	30	50013	28	51284	20	53398	23
565	46	7203	43	7605	30	50014	28	51286	31	55213	28
576	46	7204	42	7607	40	50040	28, 42	51298	20	55261	28
579	46	7207	42	7608	40	50049	28, 43	51813	32	55513	28
581	46	7209	42	7634	42	50061	28	51829	29	55549	43
586	46	7210	29	7639	47	50068	28	51859	31	55561	28
587	46	7212	29	7640	47	50203	23, 40	51884	32	55613	28
7001½	44	7214	29	7642	47	50213	23	51886	31	55661	28
7002	45	7218	51	7643	47	50240	23, 42	51890	30	55829	19
7003	45	7242	45	7644	47	50249	23, 43	52113	32	55831	19
7005	44, 45	7245	29	7645	47	50261	23	52161	32	55861	19
7007	44	7247	28, 40	7646	47	50268	23	52184	32	55897	19
7009	45	7260	31	7647	47	50284	23	52803	21, 40	56003	22, 40
7015	38	7261	41	7648	47	50298	23	52813	21	56013	22
7018	44	7264	29	7649	47	50403	25, 41	52840	21, 42	56040	22, 42
7019	44	7266	41	7650	21, 42	50413	25	52849	21, 43	56049	22, 43
7020	37	7286	41	7652	47	50440	25, 42	52861	21	56061	22
7022	44	7291	29	7653	47	50449	25, 43	52868	21	56068	22
7025	37	7292	27	7655	47	50459	31	52884	21	56078	46
7026	45	7304	39	7657	47	50461	25	52886	31	56084	22
7029	44	7320	39	7658	47	50468	25	52898	21	56098	22
7030	37	7330	39	7659	47	50484	25	52903	26, 40	56103	25, 41
7034¼	41	7362	47	7660	47	50486	31	52913	26	56113	25
7035	37	7362½	47	7661	20, 43	50498	25	52940	26, 42	56114	25
7039	45	7364½	51	7700	33	50700	17	52949	26, 43	56140	25, 42
7050	51	7365	47	7705	33	50700½	17	52961	26	56149	25, 43
7061½	38	7376	27	7705½	33	50701	17	52968	26	56161	25
7063	38	7377	32	7714	36	50701½	17	52970	26	56168	25
7101	38	7378	32	7721	27	50703	16, 40, 41	52971	26	56184	25
7102	28, 40	7379	32	7723	34	50704	16, 44	52984	26	56198	25
7103	40	7380	32	7724	35	50705	16, 41	52990	30	56203	22, 40
7105	44	7386	31	7734 Lift	51	50710	17	52998	26	56213	22
7105½	44	7390	31	7734 Pull	39	50713	16	53003	24, 41	56214	22
7106	44	7392	31	7735 Lift	51	50715	17	53013	24	56240	22, 42
7107	44	7394	31	7735 Pull	39	50716	17	53040	24, 42	56249	22, 43
7109	45	7394½	31	7737	39	50726	17	53049	24, 43	56261	22
7110	44	7396	31	7748	33	50730	16	53061	24	56268	22
7111	44	7410	31	7751	39	50731	16	53068	24	56284	22
7112	44	7420	49	7753	34	50740	16, 42	53084	24	56298	22
7113	44	7422	50	7755	34	50742	17, 52	53086	31	56413	18
7114	44	7423	49	7756	33	50743	17, 52	53098	24	56430	18
7115	44	7424	48	7762	35	50749	16, 43	53103	24, 40	56431	18
7117	40	7426	48	7802	51	50752	17	53113	24	56461	18
7118	28, 40	7428	49	7830½	51	50755	16, 44	53140	24, 42	56468	18
7120	38	7430	48	7857	52	50757	16, 17	53149	24, 43	56478	46
7120½	44	7460	50	7859	52	50757½	16, 41	53161	24	56484	18
7125	38	7461	50	7904	28, 40	50761	16	53168	24	56486	31
7127	47	7501	47	7909	28, 40	50768	16	53184	24	56497	18
7127¼	47	7502	47	7916	51	50770	16	53198	24	56498	18
7129	45	7519½	28, 40	7918	40	50771	16	53203	20, 40	56578	46
7130	38	7540	39	7919	40	50777	17, 51	53213	20	57678	46
7134	41	7541	39	7920	40	50784	16	53261	20	57978	46
7135	38	7542	39	7922	16, 40	50786	31	53268	20	58013	21
7136	41	7560	52	7925	40	50790	16, 30	53284	20	58061	21
7137	45	7561	52	7926	40	50798	16	53298	20	58068	21
7144	43	7562	52	7930	40	51203	20, 40	53303	23, 40	58084	21
7145	43	7580½	52	7934	41	51213	20	53313	23	58098	21
7150	20, 21, 43	7582	52	7936	41	51240	20, 42	53340	23, 42	58178	46
7191	42	7585	52	7938	40	51249	20, 43	53349	23, 43	58678	46
										58778	46




## Hardware for the Entrance Doors

8




SOMERSET



(See page 16)

A dignified, well defined design which carries the unmistakable flavor of the stately English manorhouse. It is suggested for the more pretentious buildings in the English styles.

MAYFIELD



(See page 18)

Somewhat similar to Somerset in its principal motif, yet worked out with a little more of reserve and grace and less elaboration. This simpler design is well suited to the more modest cottage types of homes.






## Hardware for the Entrance Doors

9




LAVERSTOCK



(See page 19)


The ornate scroll of these hinge plates and escutcheon offers a splendid means of relieving an entrance which may otherwise be too plain. A door knocker may of course be selected if desired.

SHREWSBURY



(See page 20)


This design fits well into a setting of Gothic features. Its rugged contour imparts an impression of strength without unnecessary bulk.






## Hardware for the Entrance Doors

10




MARLBORO



(See page 20)

For the modern versions of old architecture, a simple, unpretentious design is often best. Marlboro is adaptable to many buildings of these types.

CONCORD



(See page 21)

An adaptation of an old colonial motif especially fitting for the early New England type of house.






## Hardware for the Entrance Doors

11




STOCKBRIDGE



(See page 22)

An artistic and pleasing variation of the "blown-tulip" pattern, popular in colonial times. The added elaboration enhances the appearance of an otherwise plain door.

POTTSVILLE



(See page 21)

This was one of the most widely used patterns in all the colonies. It is known as the "bean" motif because of the bean-shaped cusp of the handle.






## Hardware for the Entrance Doors

12




## PLYMOUTH



(See page 23)


Colonial designers got their inspiration for this simple pattern from the Indian arrowhead. It adds an unmistakable atmosphere of authenticity to any colonial type entrance.

## MONTGOMERY



(See page 22)

This design is indeed simplicity in itself, yet by its lack of affectation it is true to the work of the early blacksmiths.






## Hardware for the Entrance Doors

13




DOUVAINE



(See page 23)


The flourishing finials of hinge plate and handle suggest the spirit of French design. This pattern is perhaps best suited to buildings in the French styles.

MONTREUIL



(See page 24)

This design is suggested for use with the heavy, half-timber work of Norman architecture. Its well modeled sturdiness is especially appropriate for such a setting.






## Hardware for the Entrance Doors

14




PAMPLONA



(See page 24)

Pamplona design is distinctly Spanish. It portrays the delicate tracery that is so characteristic of Spanish iron work.

SEVILLE



(See page 25)

Another design that is well suited to the building of Spanish architectural features, or the Spanish-Italian Mediterranean style.






## Hardware for the Entrance Doors

15




## TERRANOVA

*(See page 25)*

Suggested as befitting the Mediterranean type of architecture. The intricate, tooled and perforated design and twisted handle grip are exceptionally appropriate for this style.

## BURGOS

*(See page 26)*

The illustration shows how well this design may be used to add interest to an entrance which is without architectural embellishment.







CYLINDER COLLAR  
NO. 50713  
4 1/8 x 2 in.



ENTRANCE  
DOOR HANDLE  
NO. 50784  
10 x 2 in.  
Projection 2 1/4 in.  
Handle number in-  
cludes Cylinder Collar.




INTERIOR DOOR  
ESCUTCHEON  
NO. 50731  
8 x 2 1/2 in.  
KNOB NO. 7922  
2 in. dia.




ELECTRIC  
PUSH BUTTON  
NO. 50761  
3 x 1 in.

## Somerset


(Application on page 8)



ENTRANCE  
DOOR KNOCKER  
NO. 50768  
7 1/2 x 4 in.  
Furnished with through bolt



LETTER DROP PLATE  
Size 2 3/8 x 8 1/2 in. Opening 1 x 4 1/2 in.  
NO. 50770 without Back Plate  
NO. 50771 with Back Plate



BACK PLATE furnished with NO. 50771  
Size 2 3/8 x 8 1/2 in. Opening 1 x 4 1/2 in.  
Letter Drop Plates are furnished with  
machine screws for attaching from rear.



HINGE PLATE  
NO. 50798  
Lengths 20 and 30 in. Butt stock 4 in.  
In ordering, state length  
Other size butt stocks made to order.



LEVER HANDLE  
\*NO. 50755  
Length 3 1/2 in. Projection 2 3/8 in.  
ROSE NO. 50704  
3 x 1 3/8 in.  
For Knob or Lever




ROSE  
NO. 50703  
2 in. dia.  
For Knob or Lever



KEY ESCUTCHEON  
NO. 50740  
2 x 1 in.



DROP HANDLE  
NO. 50757 1/2  
For use with Rose  
NO. 50757  
For lock side  
Size 2 3/4 in. dia.  
ROSE NO. 50705  
2 in. dia.  
For Ring only.



PUSH PLATE  
NO. 50790  
12 x 3 in.


\*Not reversible. State hand. Right hand shown.

All furnished with screws or studs No. 7648, as illustrated.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.



Somerset (continued)




Right hand top or  
left hand bottom

HL HINGE PLATES  
NO. 50716

Length 9 in. Widths  $1\frac{3}{8}$  and  $7\frac{1}{2}$  in.  
Furnished regularly for butts  
4 x 4 in. Made for other sizes  
to order


Reversible in pairs only.  
When ordering singly, state hand.



17

Left hand top or right  
hand bottom  
Reversible in pairs only.  
When ordering singly,  
state hand.

HL HINGE  
NO. 50710  
4 x  $4\frac{3}{4}$  in.




H HINGE PLATES  
NO. 50726  
Each 9 x  $1\frac{3}{8}$  in.



H HINGE  
NO. 50715  
4 x  $2\frac{1}{4}$  in.



BOLT  
NO. 50743  
Plate,  $1\frac{1}{8}$  x  $3\frac{1}{2}$  in.  
Strike,  $1\frac{1}{8}$  x 2 in.  
Bolt projects  $\frac{1}{2}$  in.



CASEMENT FASTENERS  
Plate 3 x  $1\frac{1}{4}$  in. Lever  $3\frac{3}{4}$  in. Projection  $1\frac{1}{2}$  in.


\*NO. 50752M (with mortise strike)

\*NO. 50752R ( " rim " )

\*NO. 50752S ( " surface " )



SASH LIFT  
NO. 50777  
 $1\frac{3}{8}$  x  $6\frac{1}{8}$



BOLT  
NO. 50742  
Plate, 5 x  $1\frac{5}{8}$  in.  
Length,  $14\frac{1}{2}$  in.  
Bolt projects  $1\frac{1}{2}$  in.



NO. 50742



(Brass Key) Shown with Drop Handle NO. 50757  
(Not included with lock)



Strike for  
Single doors.



Dummy case for use as  
strike on pairs of doors.

RIM KNOB LOCKS

Case  $3\frac{3}{4}$  x  $5\frac{1}{2}$  x  $\frac{3}{4}$  in. Backset, hub 4 in.; keyhole 2 in.

Strike  $3\frac{3}{4}$  x 2 x  $\frac{3}{4}$  in.  $\frac{1}{8}$  in. bronze hub.

Cast bronze bolts. One key, class 580 $\frac{7}{8}$ . 3 tumblers. 640 changes.

OPERATES: The latch bolt is operated from either side by knob or  
ring. The key projects or retracts the dead bolt from either side.

\*NO. 50700

With strike for single doors.

\*NO. 50700 $\frac{1}{2}$

†Same as No. 50700 but with 0580 $\frac{7}{8}$  class  
master key.

\*Not reversible. State hand. Right hand shown.

†Can be master keyed with other locks having 080 $\frac{7}{8}$  class master key.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

\*NO. 50701

With strike for pairs of doors


\*NO. 50701 $\frac{1}{2}$

†Same as No. 50701 but with 0580 $\frac{7}{8}$  class  
master key.





18




CYLINDER COLLAR  
NO. 56413  
2½ x 2½ in.

\*Mayfield

(Application on page 8)



ELECTRIC PUSH BUTTON  
NO. 56461  
2½ x 2½ in.



ENTRANCE DOOR KNOCKER  
NO. 56468  
8¼ x 25⅞ in.




ENTRANCE DOOR HANDLE  
NO. 56484  
Size 13¼ x 2 ¾ in. Projection 2¾ in.



ENTRANCE DOOR ESCUTCHEON  
NO. 56430  
11 x 2¾ in.  
KNOB NO. 7607  
2⅞ x 1¾ in.




INTERIOR DOOR ESCUTCHEON  
NO. 56431  
8¼ x 2¼ in.  
KNOB NO. 7608  
2½ x 1½ in.



CORNER PLATE  
(For Paneled Doors)

HINGE PLATES  
SET NO. 56497  
Includes two Corner Plates  
and one Center Plate.



CENTER PLATE

When Center Plates only are wanted, order by  
NO. 56498

CORNER PLATES  
Length 22 in. Width, over all 10 in.  
CENTER PLATE  
Lengths 18 and 28 in. Butt stocks 4 in.  
Other size Butt stocks made to order.

Handle number includes cylinder collar. Door knocker furnished with through-bolt.  
All pieces furnished with oval-head wood screws.

\*Pieces shown on pages 16 and 17 may be matched with this design.


Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.



## Laverstock

(Application on page 9)

19



INTERIOR DOOR ESCUTCHEON

NO. 55831

9 x 25 $\frac{1}{8}$  in.

KNOB NO. 7608


2 $\frac{1}{2}$  x 1 $\frac{1}{2}$  in.



ELECTRIC PUSH BUTTON

NO. 55861

3 $\frac{3}{4}$  x 1 $\frac{1}{8}$  in.



ENTRANCE DOOR ESCUTCHEON


NO. 55829

14 x 4 $\frac{1}{8}$  in.

KNOB NO. 7607


2 $\frac{3}{8}$  x 1 $\frac{3}{4}$  in.

See ODD DOOR KNOCKERS page 32



HINGE PLATES

SET NO. 55897  
Includes two corner plates  
and one center plate.



CORNER PLATE

Length 27 $\frac{3}{4}$  in. Width, overall, 16 in.  
Center of Butt Stock to outside edge 7 $\frac{1}{4}$  in.

CENTER PLATE

Length 25 in. Width, overall 17 $\frac{1}{2}$  in.

Butt stock regularly made 6 in. Other sizes made to order.


All pieces furnished with oval-head wood screws.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.







20



CYLINDER COLLAR  
NO. 51213  
3 x 3 in.




ENTRANCE  
DOOR HANDLE  
NO. 51284  
10½ x 2½ in.  
Projection  
2¼ in.



ENTRANCE  
DOOR KNOCKER  
NO. 53268  
6 x 2½ in.




THUMB KNOB  
NO. 51249  
1½ x 1½ in.  
⅜ in. spindle



KNOB NO. 7922  
2 in dia.  
ROSE NO. 51203  
2 x 2 in.




KEY ESCUTCHEON  
NO. 51240  
1½ x 1½ in.



ELECTRIC  
PUSH BUTTON  
NO. 51261  
3 x 3 in.



ENTRANCE  
DOOR KNOCKER  
NO. 51268  
7⅞ x 4⅞ in.



HINGE PLATE  
NO. 51298

Lengths, 20 and 30 in. \*Butt stock 4 in.  
In ordering, state length.

Handle number includes cylinder collar. Door knocker furnished with through-bolt.  
All pieces furnished with oval-head wood screws.

## Marlboro

(Application on page 10)



CYLINDER COLLAR  
NO. 53213  
2½ x 2½ in.



KNOB NO. 7918  
1¾ in. dia.  
ROSE NO. 53203  
1⅞ x 1⅞ in.



ELECTRIC  
PUSH BUTTON  
NO. 53261  
1⅞ x 1⅞ in.




THUMB KNOB  
NO. 7150  
1¾ x 1⅞ in.  
⅞ in. spindle



KEY ESCUTCHEON  
NO. 7661  
1¾ x 1⅞ in.



ENTRANCE  
DOOR HANDLE  
NO. 53284  
9 x 2½ in.  
Projection 2 in.



HINGE PLATE  
NO. 53298

Length 20 and 30 in. \*Butt stock 4 in.  
In ordering, state length.

Handle number includes cylinder collar. Door knocker furnished with through-bolt.  
All pieces furnished with oval-head wood screws.

\*Other size Butt Stocks made to order.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.




## Concord

(Application on page 10)



CYLINDER COLLAR  
NO. 52813  
3¼ x 2 in.



KNOB NO. 7926  
2 in. dia.  
ROSE NO. 52803  
3 x 2 in.



ELECTRIC  
PUSH BUTTON  
NO. 52861  
2½ x 1¼ in.



ENTRANCE  
DOOR KNOCKER  
NO. 52868  
5½ x 2¾ in.



THUMB KNOB  
NO. 52849  
2 x 1¼ in.  
⅜ in. spindle.



KEY ESCUTCHEON  
NO. 52840  
2 x 1¼ in.



ENTRANCE  
DOOR HANDLE  
NO. 52884  
9¼ x 1½ in.  
Projection  
1¾ in.



HINGE PLATE  
NO. 52898

Lengths, 20 and 30 in. \*Butt stock 4 in.  
In ordering, state length.

Handle number includes cylinder collar. Door knocker furnished with through-bolt.  
All pieces furnished with oval-head wood screws.

## Pottsville

(Application on page 11)



ENTRANCE  
DOOR KNOCKER  
NO. 58068  
4 x 3¼ in.



ELECTRIC  
PUSH BUTTON  
NO. 58061  
2 in. dia.




KNOB NO. 7519½  
2¾ in. dia.  
ROSE NO. 7118  
2 in. dia.



THUMB KNOB  
NO. 7150  
1¾ x 1⅛ in.  
⅜ in. spindle



KEY ESCUTCHEON  
NO. 7650  
1¾ x 1⅛ in.



HINGE PLATE  
NO. 58098

Lengths, 20 and 30 in. \*Butt stock 4 in.  
In ordering, state length.


Handle number includes cylinder collar. Door knocker furnished with through-bolt.  
All pieces furnished with oval-head wood screws.

\*Other size Butt stocks made to order.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.



CYLINDER COLLAR  
NO. 58013  
2 in. dia.




ENTRANCE  
DOOR HANDLE  
NO. 58084  
10 x 2¾ in.  
Projection  
1½ in.





CYLINDER COLLAR  
NO. 56013  
3 x 2¼ in.



ENTRANCE  
DOOR HANDLE  
NO. 56084  
13¼ x 2½ in.  
Projection  
1⅞ in.



ENTRANCE  
DOOR KNOCKER  
NO. 56268  
5 x 2¼ in.



THUMB KNOB  
NO. 56049  
1⅝ x 1⅞ in.  
⅜ in. spindle




KNOB NO. 7926  
2 in. dia.  
ROSE NO. 56003  
2⅜ x 1¾ in.



KEY ESCUTCHEON  
NO. 56040  
1⅝ x 1⅞ in.



ELECTRIC  
PUSH BUTTON  
NO. 56061  
2⅜ x 1¾ in.



ENTRANCE  
DOOR KNOCKER  
NO. 56068  
6½ x 3 in.




HINGE PLATE  
NO. 56098  
Lengths, 20 and 30 in. \*Butt stock 4 in.  
In ordering, state length.

Handle number includes cylinder collar. Door knocker furnished with through-bolt.  
All pieces furnished with oval-head wood screws.

## Montgomery

(Application on page 12)



KNOB NO. 7925  
1¾ in. dia.  
ROSE NO. 56203  
2½ x 1⅞ in.



KEY ESCUTCHEON  
NO. 56240  
1⅝ x 1⅞ in.




ELECTRIC  
PUSH BUTTON  
NO. 56261  
3 x 2⅞ in.



CYLINDER COLLAR  
WITH DUST CAP  
NO. 56214  
3 x 2⅞ in.



THUMB KNOB  
NO. 56249  
1⅝ x 1⅞ in.  
⅜ in. spindle



CYLINDER COLLAR  
NO. 56213  
3 x 2⅞ in.



ENTRANCE  
DOOR HANDLE  
NO. 56284  
11½ x 2⅞ in.  
Projection  
2⅜ in.



HINGE PLATE  
NO. 56298  
Lengths, 20 and 30 in. \*Butt stock 4 in.  
In ordering, state length.

Handle number includes cylinder collar. Door knocker furnished with through-bolt.  
All pieces furnished with oval-head wood screws.

\*Other size Butt stocks made to order.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.




## Plymouth

(Application on page 12)



CYLINDER COLLAR  
NO. 53313  
2 $\frac{5}{8}$  x 2 $\frac{1}{2}$  in.



KNOB NO. 7926  
2 in. dia.  
ROSE NO. 53303  
1 $\frac{7}{8}$  x 1 $\frac{7}{8}$  in.



THUMB KNOB  
NO. 53349  
1 $\frac{1}{2}$  x 1 $\frac{1}{2}$  in.  
 $\frac{3}{8}$  in. spindle



KEY ESCUTCHEON  
NO. 53340  
1 $\frac{1}{2}$  x 1 $\frac{1}{2}$  in.



ELECTRIC  
PUSH BUTTON  
NO. 53361  
1 $\frac{7}{8}$  x 1 $\frac{7}{8}$  in.



ENTRANCE  
DOOR KNOCKER  
NO. 53368  
5 x 4 in.



ENTRANCE  
DOOR HANDLE  
NO. 53384  
11 $\frac{1}{4}$  x 2 $\frac{1}{2}$  in.  
Projection  
1 $\frac{7}{8}$  in.



HINGE PLATE  
NO. 53398  
Lengths, 20 and 30 in. \*Butt stock 4 in.  
In ordering, state length.

Handle number includes cylinder collar. Door knocker furnished with through-bolt.  
All pieces furnished with oval-head wood screws.

## Douvaine

(Application on page 13)



CYLINDER COLLAR  
NO. 50213  
2 $\frac{3}{4}$  x 1 $\frac{3}{4}$  in.



KNOB NO. 7930  
2 in. dia.  
ROSE NO. 50203  
2 $\frac{7}{8}$  x 1 $\frac{7}{8}$  in.



ELECTRIC  
PUSH BUTTON  
NO. 50261  
2 $\frac{3}{4}$  x 1 $\frac{3}{4}$  in.



THUMB KNOB  
NO. 50249  
2 $\frac{3}{8}$  x 1 $\frac{1}{2}$  in.  
 $\frac{3}{8}$  in. spindle




KEY ESCUTCHEON  
NO. 50240  
2 $\frac{3}{8}$  x 1 $\frac{1}{2}$  in.



ENTRANCE  
DOOR KNOCKER  
NO. 50268  
5 x 3 $\frac{1}{4}$  in.



ENTRANCE  
DOOR HANDLE  
NO. 50284  
11 $\frac{1}{2}$  x 2 $\frac{3}{8}$  in.  
Projection  
2 in.



HINGE PLATE  
NO. 50298  
Lengths, 20 and 30 in. Also 24, 26, 28 and 42 in.  
Width, overall, 5 $\frac{7}{8}$  in. \*Butt stock 5 in.  
In ordering state length.

Handle number includes cylinder collar. Door knocker furnished with through-bolt.  
All pieces furnished with oval-head wood screws.

\*Other size Butt stocks made to order.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.



## Montreuil

(Application on page 13)



CYLINDER COLLAR  
NO. 53113  
4½ x 2¼ in.



THUMB KNOB  
NO. 53149  
2 x 1½ in.  
⅜ in. spindle



KNOB NO. 7918  
1¾ in. dia.  
ROSE NO. 53103  
2⅞ x 1⅞ in.



ELECTRIC  
PUSH BUTTON  
NO. 53161  
3¾ x 1⅞ in.




ENTRANCE  
DOOR KNOCKER  
NO. 53168  
7¼ x 2⅞ in.



ENTRANCE  
DOOR HANDLE  
NO. 53184  
11 x 2½ in.  
Projection  
¾ in.




KEY ESCUTCHEON  
NO. 53140  
2 x 1½ in.



HINGE PLATE  
NO. 53198

Lengths, 20 and 30 in. \*Butt stock 4 in. In ordering, state length.


Handle number includes cylinder collar. Door knocker furnished with through-bolt.  
All pieces furnished with oval-head wood screws.




CYLINDER COLLAR  
NO. 53013  
3⅝ x 2¾ in.

## Pamplona

(Application on page 14)



ENTRANCE  
DOOR KNOCKER  
NO. 53068  
6 x 4 in.



ELECTRIC  
PUSH BUTTON  
NO. 53061  
3½ x 2½ in.




KNOB NO. 7934  
2¼ in. dia.  
ROSE NO. 53003  
3½ x 2½ in.



THUMB KNOB  
NO. 53049  
1¾ x 1¼ in.  
⅜ in. spindle



KEY ESCUTCHEON  
NO. 53040  
1¾ x 1¼ in.



HINGE PLATE NO. 53098

Lengths, 20 and 30 in. \*Butt stock 4 in. In ordering, state length.

Handle number includes cylinder collar. Door knocker furnished with through-bolt.  
All pieces furnished with oval-head wood screws.

\*Other size Butt stocks made to order.



ENTRANCE  
DOOR HANDLE  
NO. 53084  
13⅞ x 2⅞ in.  
Projection  
2⅞ in.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.



## Seville


(Application on page 14)



CYLINDER COLLAR  
NO. 50413  
2½ x 2½ in.



THUMB KNOB  
NO. 50449  
1½ x 1½ in.  
⅜ in. spindle



KNOB NO. 7934  
2¼ in. dia.  
ROSE NO. 50403  
2⅜ x 2⅜ in.



ELECTRIC  
PUSH BUTTON  
NO. 50461  
2½ x 2½ in.



ENTRANCE  
DOOR KNOCKER  
NO. 50468  
5½ x 4½ in.



KEY ESCUTCHEON  
NO. 50440  
1½ x 1½ in.



HINGE PLATE  
NO. 50498  
Lengths, 20 and 30 in. \*Butt stock 4 in.  
In ordering, state length.




ENTRANCE  
DOOR HANDLE  
NO. 50484  
10 x 2¾ in.  
Projection  
2⅜ in.


Handle number includes cylinder collar. Door knocker furnished with through-bolt.  
All pieces furnished with oval-head wood screws.

## Terranova

(Application on page 15)



ENTRANCE  
DOOR KNOCKER  
NO. 56168  
6 x 3 in.



KNOB NO. 7934  
2¼ in. dia.  
ROSE NO. 56103  
2¾ x 2¾ in.




ELECTRIC  
PUSH BUTTON  
NO. 56161  
3⅝ x 3⅝ in.



CYLINDER COLLAR  
With Dust Cap  
NO. 56114  
3⅝ x 3⅝ in.



THUMB KNOB  
NO. 56149  
1¾ x 1¾ in.  
⅜ in. spindle



KEY ESCUTCHEON  
NO. 56140  
1¾ x 1¾ in.



HINGE PLATE  
NO. 56198

Lengths, 20 and 30 in. \*Butt stock 4 in. In ordering, state size.

Handle number includes cylinder collar. Door knocker furnished with through-bolt.  
All pieces furnished with oval-head wood screws.

\*Other size Butt stocks made to order.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.



CYLINDER COLLAR  
NO. 56113  
3⅝ x 3⅝ in.



ENTRANCE  
DOOR HANDLE  
NO. 56184  
13⅝ x 3⅝ in.  
Projection 3⅝ in.



## Burgos

(Application on page 15)



CYLINDER COLLAR  
NO. 52913  
3 x 2¼ in.




KNOB  
NO. 7519 ½  
2¼ in. dia.  
ROSE NO. 52903  
2¾ x 1¾ in.




THUMB KNOB  
NO. 52949  
1⅝ x 1⅞ in.  
⅜ in. spindle



ELECTRIC  
PUSH BUTTON  
NO. 52961  
2¾ x 1¾ in.




ENTRANCE  
DOOR KNOCKER  
NO. 52968  
6⅝ x 5⅞ in.




ENTRANCE  
DOOR HANDLE  
NO. 52984  
12 x 4 in.  
Projection  
2¾ in.




KEY  
ESCUTCHEON  
NO. 52940  
1⅝ x 1⅞ in.



HINGE PLATE  
NO. 52998  
7⅝ x 27⅝ in.  
\*Butt stock 4 in.



LETTER DROP PLATE  
Size 4½ x 11⅜ in.  
Opening 1½ x 7 in.  
NO. 52970 without Back Plate  
NO. 52971 with Back Plate



BACK PLATE  
Furnished with No. 52971  
Size 4½ x 11⅜ in.  
Opening 1½ x 7 in.  
Furnished with dummy studs and machine  
screws for attaching through door.

\*Other size Butt stocks made to order.


Handle number includes cylinder collar. Door knocker furnished with through-bolt.  
All pieces furnished with round head studs, except Rose, Key Escutcheon and Thumb Knob.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.




Toledo

27





HINGE PLATES  
SET NO. 7721  
Includes two Corner Plates  
and one Center Plate.


CORNER PLATES  
Size, overall  $21\frac{3}{4} \times 17\frac{3}{4}$  in.  
Center of butt stock to upper  
edge  $6\frac{1}{4}$  in.



CENTER PLATE  
Size, overall  $19 \times 3\frac{3}{4}$  in.  
Butt stocks  $7\frac{1}{2}$  in.  
Other size Butt stocks  
made to order.  
Furnished with Studs  
No. 7640




ENTRANCE DOOR KNOCKER  
NO. 7376  
 $11\frac{5}{8} \times 6\frac{1}{4}$  in.  
Furnished with Studs No. 7639



ENTRANCE DOOR ESCUTCHEON  
NO. 7292  
 $12\frac{7}{8} \times 3\frac{1}{4}$  in.  
Shown with Lever No. 7009.  
Length, 3 in. Projection  $2\frac{1}{4}$  in.  
Not reversible. State hand.  
Right hand shown.  
Furnished with Studs No. 7639.



## Monterey



ENTRANCE  
DOOR KNOCKER  
NO. 50068  
5 $\frac{1}{8}$  x 2 $\frac{7}{8}$  in.



KNOB NO. 7936  
2 in. dia.  
ROSE NO. 50003  
2 $\frac{1}{2}$  x 1 $\frac{1}{2}$  in.



CYLINDER COLLAR  
with DUST CAP  
NO. 50014  
3 x 1 $\frac{3}{4}$  in.



CYLINDER COLLAR  
NO. 50013  
3 x 1 $\frac{3}{4}$  in.



ELECTRIC  
PUSH BUTTON  
NO. 50061  
2 $\frac{1}{2}$  x 1 $\frac{1}{2}$  in.



KEY ESCUTCHEON  
NO. 50040  
2 $\frac{3}{8}$  x 1 in.



THUMB KNOB  
NO. 50049  
2 $\frac{3}{8}$  x 1 in.  
 $\frac{1}{8}$  in. spindle




LEVER NO. 7109  
Length 4 $\frac{3}{8}$  in.  
Projection 2 $\frac{3}{8}$  in.  
ROSE NO. 50004  
3 x 1 $\frac{3}{4}$  in.

Lever handle number does not include rose or cylinder collar. Order each by number.  
All pieces furnished with oval-head wood screws; Knocker with through-bolt.

## Sectional Trim

FOR EXTERIOR DOORS




ELECTRIC  
PUSH BUTTON  
NO. 55661  
2 x 2 in.



ELECTRIC  
PUSH BUTTON  
NO. 55261  
2 in. dia.



ELECTRIC  
PUSH BUTTON  
NO. 55561  
2 x 2 in.



ELECTRIC  
PUSH BUTTON  
NO. 56161  
3 $\frac{5}{8}$  x 3 $\frac{1}{8}$  in.



CYLINDER COLLAR  
NO. 55613  
2 x 2 in.



CYLINDER COLLAR  
NO. 55213  
2 in. dia.



CYLINDER COLLAR  
NO. 55513  
2 $\frac{3}{8}$  x 2 $\frac{3}{8}$  in.



CYLINDER COLLAR  
NO. 56113  
3 $\frac{5}{8}$  x 3 $\frac{1}{8}$  in.




KNOB NO. 7909  
2 x 2 in.  
ROSE NO. 7247  
2 x 2 in.



KNOB NO. 7519 $\frac{1}{2}$   
2 $\frac{1}{4}$  in. dia.  
ROSE NO. 7118  
2 in. dia.



KNOB NO. 7904  
1 $\frac{7}{8}$  x 1 $\frac{7}{8}$  in.  
ROSE NO. 7102  
2 x 2 in.



KNOB NO. 7934  
2 in. dia.  
ROSE NO. 56103  
2 $\frac{3}{4}$  x 2 $\frac{3}{4}$  in.

Other Sectional Trim shown on pages 16, 20-26.

Knob numbers do not include roses or cylinder collars. Order each by number.  
Furnished with oval-head wood screws.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.




## Escutcheons


FOR EXTERIOR DOORS



ESCUTCHEON NO. 7245  
20 $\frac{3}{4}$  x 3 in.  
Shown with KNOB NO. 7519 $\frac{1}{2}$   
2 $\frac{1}{4}$  in. dia.



ESCUTCHEON NO. 7291  
13 x 3 in.  
Shown with LEVER NO. 7113  
Length 4 $\frac{1}{4}$  in. Projection 2 $\frac{3}{4}$  in.  
Not reversible. State hand.  
Right hand shown.



ESCUTCHEON NO. 51829  
12 x 3 in.  
Shown with KNOB NO. 7904  
1 $\frac{7}{8}$  x 1 $\frac{7}{8}$  in.  
Studs No. 7653

FOR INTERIOR DOORS



ESCUTCHEON NO. 7210  
7 x 2 in.  
Shown with KNOB NO. 7918  
1 $\frac{3}{4}$  in. dia.



ESCUTCHEON NO. 7212  
6 $\frac{5}{8}$  x 1 $\frac{1}{2}$  in.  
Shown with KNOB NO. 7938  
1 $\frac{3}{4}$  in. dia.



ESCUTCHEON NO. 7214  
6 x 3 $\frac{3}{8}$  in.  
Shown with KNOB NO. 7940  
2 in. dia.



ESCUTCHEON NO. 7264  
6 $\frac{3}{4}$  x 2 $\frac{7}{8}$  in.  
Shown with KNOB NO. 7904  
1 $\frac{7}{8}$  x 1 $\frac{7}{8}$  in.

Escutcheon numbers do not include knobs. In ordering, indicate clearly by number all pieces wanted.

Other knobs shown on pages 40 and 41. Levers on pages 44 and 45.


Other escutcheons shown on pages 16, 18, 19 and 27.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.




Push Plates


30




No. 7604  
12 x 3 1/4 in.




No. 7602  
12 x 3 1/8 in.




No. 50790  
12 x 3 in.  
Studs No. 7648




No. 52990  
12 x 4 in.  
Studs No. 7639




No. 51890  
14 x 3 1/2 in.  
Studs No. 7653



No. 7603  
12 7/8 x 3 1/4 in.  
Studs No. 7639



No. 7600  
13 x 4 1/4 in.  
Studs No. 7653



No. 7605  
14 x 3 1/2 in.


Push Plates can be furnished with Grips or Rings, shown on next page, for use as Door Pulls, when so ordered. In ordering, give number of grip wanted, as: Push Plate EH7604 x Grip EH7410. Furnished with oval-head wood screws, except as noted.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.




## Door Pulls and Grips


31



PULL NO. 52886  
11¼ x 2 in.  
Grip No. 7394½  
Cen. to Cen. 8 in.  
Projection 2¼ in.



PULL NO. 51286  
10¾ x 3 in.  
Grip No. 7396  
Cen. to Cen. 7¾ in.  
Projection 2½ in.



PULL NO. 51886  
12¼ x 2¼ in.  
Grip No. 7390  
Cen. to Cen. 8½ in.  
Projection 2¾ in.  
Studs No. 7653



PULL NO. 56486  
10¼ x 2½ in.  
Grip No. 7396  
Cen. to Cen. 7¾ in.  
Projection 2½ in.



PULL NO. 50786  
13 x 2¼ in.  
Grip No. 7394½  
Cen. to Cen. 8 in.  
Projection 2¼ in.  
Studs No. 7648



PULL NO. 53086  
11½ x 2¾ in.  
Grip No. 7386  
Cen. to Cen. 6¼ in.  
Projection 2¾ in.



NO. 7394  
Cen. to Cen. 5¾ in.  
Projection 2¼ in.



NO. 7410  
Cen. to Cen. 4¾ in.  
Projection 2½ in.



NO. 7392  
Cen. to Cen. 6¼ in.  
Projection 2¾ in.




PULL NO. 50486  
8¾ x 2½ in.  
Grip No. 7386  
Cen. to Cen. 6¼ in.  
Projection 2¾ in.

### Grips FOR USE ON PLATES

Door Pulls and Grips furnished with machine screws for attaching through door.


## Ring Door Pulls



NO. 51859  
Plate 2¼ x 2¼ in.  
Ring 4 in. dia.  
Studs No. 7653



NO. 50459  
Plate 2½ x 2½ in.  
Ring 4½ in. dia.



NO. 7260  
Plate 2 in. dia.  
Ring 3¼ in. dia.  
Studs No. 7639

Rings furnished on other plates, as ordered.  
Furnished with machine screws for attaching through door.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.





CYLINDER COLLAR  
NO. 51813  
2 x 2 in.  
Furnished with Studs No. 7653

Odd Pieces




ELECTRIC PUSH BUTTON  
NO. 52161  
2 x 2 in.  
Furnished with Studs No. 7653




CYLINDER COLLAR  
NO. 52113  
2 x 2 in.  
Furnished with Studs No. 7653




ENTRANCE DOOR HANDLE  
NO. 51884  
8 3/4 x 2 1/4 in.  
Projection 2 5/8 in.  
Furnished with Studs No. 7653  
Handle number includes cylinder collar.




ENTRANCE DOOR KNOCKER  
NO. 7377  
13 1/2 x 6 1/8 in.  
Furnished with Studs No. 7647  
and through-bolt.



ENTRANCE DOOR HANDLE  
NO. 52184  
Size, 13 1/4 x 3 1/4 in.  
Projection 3 in.  
Furnished with Studs No. 7653  
Handle number includes cylinder collar.



ENTRANCE DOOR KNOCKER  
NO. 7379  
Size 9 3/4 x 7 in. Projection 2 3/4 in.  
Furnished with Studs No. 7655  
and through-bolt.



ENTRANCE DOOR KNOCKER  
NO. 7378  
4 3/4 x 3 in.  
Furnished with Studs No. 7640  
and through-bolt.




ENTRANCE DOOR KNOCKER  
NO. 7380  
7 3/4 x 4 1/2 in.  
Furnished with oval-head wood screws and through-bolt.


Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

## Odd Hinge Plates


33



NO. 7705 1/2  
Width, over all 4 in.  
Lengths 11, 18, or 28 in.  
\*Butt stock 4 in.  
Furnished with Studs No. 7640



NO. 7700  
Lengths, 17 7/8, 24 3/4 and 29 1/2 in.  
\*Butt stocks, 4, 4 1/2 and 6 in.  
Furnished with Studs No. 7640.



NO. 7756  
Width, over all 4 in.  
Lengths 18, 24, 27 or 30 in.  
\*Butt stock 4 in.  
Furnished with Studs No. 7640 for 18 and 24 in.  
Furnished with Studs No. 7641 for 27 in.




FOR SHUTTERS  
NO. 7748  
Width, over all 3 in.  
Lengths 14 or 18 in.  
\*Butt stock 2 1/2 in.  
Furnished with Studs No. 7639.

In ordering, state length.

## Offset Hinge Plates

(FOR PANELED DOORS)

SET NO. 7705



SET  
NO. 7705  
CORNERS  
Length 22 in.  
Width, over all 9 in.

CENTER  
Length 18 in.  
Width 4 in.  
\*Butt stocks 4 in.  
Furnished with Studs No. 7640

See also, Hinge Plates on page 18


\*Other size Butt stocks made to order.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.



## Ornamental Hinge Plates

34




NO. 7755

Size, over all  $16\frac{1}{4} \times 22\frac{3}{4}$  in.

\*Butt stock 6 in.

Furnished with Studs No. 7640




NO. 7753

Size, over all  $14\frac{1}{8} \times 29$  in.

\*Butt stock 6 in.

Furnished with Studs No. 7640



NO. 7723

Size, over all  $15\frac{3}{8} \times 27\frac{1}{2}$  in.

\*Butt stock 12 in.

Furnished with Studs No. 7641

\*Other size Butt stocks made to order.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

## Ornamental Hinge Plates


35

NO. 7724

Size, over all  $27\frac{1}{2} \times 28\frac{5}{8}$  in.

\*Butt stock 8 in.

Furnished with Studs No. 7641




NO. 7762

Size, over all  $24\frac{3}{4} \times 26$  in.

\*Butt stock  $11\frac{3}{4}$  in.

Furnished with Studs No. 7640



\*Other size Butt Stocks made to order.


*Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.*



## Ornamental Hinge Plates

SET NO. 7714


36



## CORNERS

Length  $29\frac{3}{4}$  in.Width, over all  $13\frac{1}{2}$  in.Center of butt stock to outside edge  $5\frac{1}{4}$  in.


Furnished with studs No. 7640.



## CENTER

Length  $29\frac{3}{4}$  in.

Width, over all 17 in.




Butt stock regularly made for 6 in. butts. Will be so furnished unless otherwise specified in order.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

## H and HL Hinge Plates


37



Right hand top or  
left hand bottom.


\*NO. 7030

Plates 7 in. long,  $1\frac{3}{8}$  and  $5\frac{3}{4}$  in. wide.  
Furnished with studs No. 7647.




NO. 7035

Plates, each 7 x  $1\frac{3}{8}$  in.  
Furnished with studs No. 7647.



NO. 7025

Plates, each 7 x  $1\frac{3}{8}$  in.  
Furnished with studs No. 7653.



Left hand top or  
right hand bottom.

\*NO. 7020

Plates 7 in. long,  $1\frac{3}{8}$  and  $5\frac{3}{4}$  in. wide.  
Furnished with studs No. 7653.

\*HL Hinge Plates are reversible, when ordered in pairs.  
When ordering singly, indicate hand wanted.


Made regularly for use with butts 3 x 3 in. Will be furnished for  
butts up to 4 x 4 in. if so specified.

(See also Somerset design, page 17)

*Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.*




## H and HL Hinges




\*NO. 7120  
4 x 5 in.


This illustration shows a right hand top, or left hand bottom HL Hinge.



NO. 7125  
4 x 2½ in.



NO. 7135  
4 x 2½ in.




\*NO. 7130  
4 x 5 in.

This illustration shows a left hand top or right hand bottom HL Hinge.

See also, SOMERSET DESIGN, page 17.

\*HL Hinges are reversible only in pairs. When ordering singly, state hand and whether for top or bottom of door.

Finished with oval-head wood screws.



NO. 7063

## Olive Knuckle Butt

HEAVY METAL WASHER BETWEEN JOINTS

NO. 7063

Sizes

3 x 2½ in.  
5 x 4 "  
5 x 5 "  
6 x 5 "  
6 x 6 "

Not reversible. In ordering, state hand.

Left hand shown.


When wanted in plain iron for painting, order No. 163.

Furnished with screws.



NO. 7063


## Butts



NO. 7061½

Sizes

3 x 3 in.  
3½ x 3½ "  
4 x 4 "  
4½ x 4½ "  
5 x 5 "  
6 x 6 "




NO. 7101

Sizes

2 x 2 in.  
2½ x 2½ "  
3 x 3 "

Furnished with screws.



NO. 7015

Sizes


3 x 3 in.  
3½ x 3½ "  
4 x 4 "  
4½ x 4½ "  
5 x 5 "

In ordering, state hand.  
Left hand shown.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

## Cupboard Hardware

39



NO. 7751


### HINGE PLATES

SET  
NO. 7751  
CORNERS


Length  $8\frac{1}{2}$  in.  
Width, over all  $5\frac{1}{8}$  in.  
Center of butt stock to outside edge  $2\frac{3}{8}$  in.

CENTER  
Length  $8\frac{1}{2}$  in.  
Width, over all  $5\frac{3}{4}$  in.  
Butt stocks  $3\frac{1}{2}$  in.


Furnished with oval-head wood screws.



### BAR LATCHES



NO. 7330  
Plates  $3\frac{1}{2} \times \frac{3}{4}$  in.  
Length of bar 2 in.



NO. 7320  
Plate  $3\frac{1}{2} \times \frac{3}{4}$  in.  
Length of bar 2 in.

Furnished with oval-head wood screws.

### DRAWER KNOBS




NO. 7540  
 $1\frac{1}{4}$  in. dia.



NO. 7542  
 $1\frac{1}{4}$  in. dia.



NO. 7541  
1 x 1 in.



Furnished with machine screws and washers.


### DRAWER PULLS



NO. 7734  
Size  $1\frac{1}{4} \times 4\frac{1}{2}$  in. Projection  $1\frac{3}{8}$  in.



NO. 7735  
Size  $1\frac{1}{8} \times 3\frac{7}{8}$  in. Projection  $1\frac{1}{8}$  in.



NO. 7304  
Size  $1\frac{5}{8} \times 3\frac{3}{4}$  in. Projection  $\frac{7}{8}$  in.




NO. 7737  
Size  $\frac{7}{16} \times 4$  in. Projection  $1\frac{1}{4}$  in.

No. 7304 furnished with machine screws and nuts;  
others with oval-head wood screws.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.



## Knobs and Roses




KNOB NO. 7919  
1 $\frac{5}{8}$  in. dia.  
Shown with ROSE NO. 7117  
1 $\frac{3}{4}$  in. dia.



KNOB NO. 7920  
1 $\frac{3}{4}$  in. dia.  
Shown with ROSE NO. 7117  
1 $\frac{3}{4}$  in. dia.




KNOB NO. 7519 $\frac{1}{2}$   
2 $\frac{1}{4}$  in. dia.  
Shown with ROSE NO. 7118  
2 in. dia.




KNOB NO. 7608  
2 $\frac{1}{2}$  x 1 $\frac{1}{2}$  in.


KNOB NO. 7607  
2 $\frac{7}{8}$  x 1 $\frac{3}{4}$  in.  
Shown with ROSE NO. 7118  
2 in. dia.




KNOB NO. 7909  
2 x 2 in.  
Shown with ROSE NO. 7247  
2 x 2 in.




KNOB NO. 7904  
1 $\frac{7}{8}$  x 1 $\frac{7}{8}$  in.  
Shown with ROSE NO. 7103  
2 $\frac{3}{8}$  x 2 $\frac{3}{8}$  in.  
ROSE NO. 7102  
2 x 2 in.




KNOB NO. 7938  
1 $\frac{3}{4}$  in. dia.  
Shown with ROSE NO. 7129  
1 $\frac{3}{4}$  in. dia.




KNOB NO. 7925  
1 $\frac{3}{4}$  in. dia.  
Shown with ROSE NO. 56203  
2 $\frac{1}{2}$  x 1 $\frac{7}{8}$  in.




KNOB NO. 7918  
1 $\frac{3}{4}$  in. dia.  
Shown with ROSE NO. 53203  
1 $\frac{7}{8}$  x 1 $\frac{7}{8}$  in.




KNOB NO. 7926  
2 in. dia.  
Shown with ROSE NO. 52803  
3 x 2 in.




KNOB NO. 7926  
2 in. dia.  
Shown with ROSE NO. 56003  
2 $\frac{3}{8}$  x 1 $\frac{1}{4}$  in.  
or ROSE NO. 52903




KNOB NO. 7926  
2 in. dia.  
Shown with ROSE NO. 53303  
1 $\frac{7}{8}$  x 1 $\frac{7}{8}$  in.



KNOB NO. 7930  
2 in. dia.  
Shown with ROSE NO. 50203  
2 $\frac{7}{8}$  x 1 $\frac{7}{8}$  in.  
or ROSE NO. 53103



KNOB NO. 7922  
2 in. dia.  
Shown with ROSE NO. 51203  
2 x 2 in.



KNOB NO. 7922  
2 in. dia.  
Shown with ROSE NO. 50703  
2 in. dia.


Knob numbers do not include Roses. Indicate each by number.

Furnished with oval-head wood screws.


Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

## Knobs and Roses


41




KNOB NO. 7936  
2 in. dia.  
Shown with ROSE NO. 7136  
2¼ x 2¼ in.




KNOB NO. 7940  
2 in. dia.  
Shown with ROSE NO. 50703  
2 in. dia.




KNOB NO. 7934  
2¼ in. dia.  
Shown with ROSE NO. 7134  
3¼ x 1¾ in.



KNOB NO. 7934  
2¾ in. dia.  
Shown with ROSE NO. 50403  
2¾ x 2¾ in.



KNOB NO. 7934  
2¾ in. dia.  
Shown with ROSE NO. 53003  
3½ x 2½ in.




KNOB NO. 7934  
2¾ in. dia.  
Shown with ROSE NO. 56103  
2¾ x 2¾ in.

Knob numbers do not include Roses. Indicate each by number.  
Furnished with oval-head wood screws.

## Drop Handles

FOR USE WITH LOCKS



NO. 7261  
Ring 2½ in. Rose 3¾ x 1½ in.  
⅞ in. Spindle



NO. 7286  
Ring 2 in. Rose 1⅝ in. dia.  
⅞ in. Spindle




NO. 7266  
Ring 2⅝ in. Rose 1⅝ in. dia.  
⅞ in. Spindle



DROP HANDLE NO. 50757½  
2¾ in. dia.  
ROSE NO. 50705  
2 in. dia.  
⅞ in. Spindle



NO. 7034¼  
Rose 1¾ in. dia.  
⅞ in. Spindle  
Threaded



Side View  
Used as inside trim on closet  
doors instead of knob and  
escutcheon

Furnished with oval-head wood screws.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.



# Key Escutcheons

42



NO. 50740  
2 x 1 in.



NO. 51240  
1½ x 1½ in.



NO. 52840  
2 x 1¼ in.



NO. 7650  
1¾ x 1½ in.



NO. 7634  
1⅞ x 1½ in.



NO. 56240  
1⅞ x 1⅞ in.



NO. 53340  
1½ x 1½ in.



NO. 50240  
2⅞ x 1½ in.




NO. 53140  
2 x 1½ in.



NO. 53040  
1¾ x 1¼ in.



NO. 50440  
1½ x 1½ in.



NO. 56140  
1¾ x 1¾ in.



NO. 56040  
NO. 52940  
1⅝ x 1⅞ in.



NO. 50040  
2⅞ x 1 in.



NO. 7204  
1¼ x 1½ in.



NO. 7209  
1⅞ x 1⅞ in.



NO. 7201  
2⅝ x 1⅞ in.



NO. 7191  
1¾ x 1 in.



NO. 7193  
2 x 1⅞ in.



NO. 7207  
1⅞ x 2⅝ in.

Furnished with wood screws.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

## Key Escutcheons

WITH DROPS



NO. 7203  
2¼ x 1 in.



NO. 7200  
1¼ in. dia.



NO. 7661  
1¾ x 1⅛ in.



NO. 7202  
2¾ x 1 in.

Furnished with wood screws.

## Thumb Knobs

(With ⅝ in. Spindle)



NO. 50749  
2 x 1 in.



NO. 51249  
1½ x 1½ in.



NO. 52849  
2 x 1¼ in.



NO. 7150  
1¾ x 1⅛ in.



NO. 7144  
1⅝ x 1⅝ in.



NO. 56249  
1⅝ x 1⅝ in.



NO. 53349  
1½ x 1½ in.



NO. 50249  
2¾ x 1½ in.




NO. 53149  
2 x 1½ in.



NO. 53049  
1¾ x 1¼ in.



NO. 50449  
1½ x 1½ in.



NO. 56149  
1¾ x 1¾ in.



NO. 56049  
NO. 52949  
1⅝ x 1⅝ in.



NO. 50049  
2⅝ x 1 in.



NO. 55549  
1⅝ x 1⅝ in.



NO. 7145  
1⅝ x 1⅝ in.

Furnished with wood screws.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.




## Lever Handles AND ROSES


44



LEVER NO. 7001 $\frac{1}{2}$   
Length 2 $\frac{3}{4}$  in. Projection 1 $\frac{5}{8}$  in.  
Rose 1 $\frac{3}{4}$  in. dia.




LEVER NO. 7022  
Length 2 $\frac{3}{4}$  in. Projection 2 $\frac{1}{2}$  in.  
Rose 2 x 1 in.




LEVER NO. 7018  
Length 3 $\frac{1}{4}$  in. Projection 2 $\frac{3}{8}$  in.  
Rose 2 x 1 in.




LEVER NO. 7007  
Length 2 $\frac{1}{2}$  in. Projection 2 $\frac{1}{8}$  in.  
ROSE NO. 7120 $\frac{1}{2}$   
2 in. dia.




LEVER NO. 7029  
Length 3 $\frac{3}{8}$  in. Projection 2 $\frac{1}{4}$  in.  
ROSE NO. 7115  
2 x 1 $\frac{3}{4}$  in.




LEVER NO. 7019  
Length 4 $\frac{1}{2}$  in. Projection 3 in.  
ROSE NO. 7005  
2 $\frac{1}{4}$  x 1 $\frac{1}{2}$  in.  
With auxiliary spring




\*LEVER NO. 7110  
Length 3 $\frac{5}{8}$  in. Projection 2 $\frac{1}{8}$  in.  
ROSE NO. 7106  
2 $\frac{3}{4}$  x 1 $\frac{1}{2}$  in.




\*LEVER NO. 7114  
Length 3 $\frac{5}{8}$  in. Projection 2 $\frac{1}{8}$  in.  
ROSE NO. 7107  
2 $\frac{3}{4}$  x 1 $\frac{1}{2}$  in.



\*LEVER NO. 7111  
Length 4 in. Projection 2 $\frac{1}{8}$  in.  
Shown with ROSE NO. 7105  
2 $\frac{3}{4}$  x 2 $\frac{3}{4}$  in.  
ROSE NO. 7105 $\frac{1}{2}$   
2 x 2 in.



\*LEVER NO. 7112  
Length 3 $\frac{1}{2}$  in. Projection 2 $\frac{1}{2}$  in.  
\*LEVER NO. 7113  
Length 4 $\frac{1}{4}$  in. Projection 2 $\frac{3}{4}$  in.  
ROSE NO. 7120 $\frac{1}{2}$   
2 in. dia.



\*LEVER NO. 50755  
Length 3 $\frac{1}{2}$  in. Projection 2 $\frac{3}{8}$  in.  
ROSE NO. 50704  
3 x 1 $\frac{3}{8}$  in.

\*Not reversible. State hand.  
Right hand shown.


Furnished with screws for attaching roses.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.


## Lever Handles

AND ROSES

45




\*LEVER NO. 7109  
Length  $4\frac{3}{8}$  in. Projection  $2\frac{3}{8}$  in.  
ROSE NO. 50004  
 $3 \times 1\frac{3}{4}$  in.



\*LEVER NO. 7009  
Length  $3\frac{1}{4}$  in. Projection  $2\frac{1}{4}$  in.  
ROSE NO. 7129  
 $1\frac{3}{4}$  in. dia.




\*LEVER NO. 7039  
Length  $3\frac{1}{4}$  in. Projection  $2\frac{1}{4}$  in.  
ROSE NO. 7129  
 $1\frac{3}{4}$  in. dia.




\*LEVER NO. 7003  
Length  $3\frac{1}{4}$  in. Projection  $2\frac{1}{8}$  in.  
ROSE NO. 50004  
 $3 \times 1\frac{3}{4}$  in.

Furnished with screws for attaching roses.



LEVER NO. 7026  
Length  $2\frac{7}{8}$  in. Projection  $2\frac{1}{8}$  in.  
ROSE NO. 7137  
 $3\frac{1}{4} \times 1\frac{3}{4}$  in.  
With auxiliary spring.



LEVER NO. 7002  
Length  $3\frac{1}{4}$  in. Projection  $2\frac{1}{8}$  in.  
ROSE NO. 50004  
 $3 \times 1\frac{3}{4}$  in.

\*Not reversible. State hand.  
Right hand shown.

## Roses With Auxiliary Springs

FOR USE WITH LEVER HANDLES



NO. 7242  
 $2\frac{1}{16}$  in. dia.



NO. 7005  
 $2\frac{1}{4} \times 1\frac{1}{2}$  in.



Auxiliary spring and  
hub fastened to back  
of these roses



NO. 7137  
 $3\frac{1}{4} \times 1\frac{3}{4}$  in.

Furnished with screws for attaching.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.



46

## Thumb Latches and Interior Door Handles



NO. 587 with Bar  
NO. 58778 for Lock  
8¼ x 1¾ in.



NO. 581 with Bar  
NO. 58178 for Lock  
7 x 1½ in.



NO. 586 with Bar  
NO. 58678 for Lock  
6⅞ x 1⅝ in.



NO. 579 with Bar  
NO. 57978 for Lock  
7 x 1¾ in.



NO. 512 with Bar  
NO. 51278 for Lock  
7½ x 2¾ in.



NO. 565 with Bar  
NO. 56578 for Lock  
7½ x 1½ in.




NO. 576 with Bar  
NO. 57678 for Lock  
6½ x 1¼ in.



NO. 560 with Bar  
NO. 56078 for Lock  
9 x 2 in.

### INTERIOR DOOR HANDLES FOR USE WITH LOCK



As Interior Door Handles to operate lock. Furnished with shortened thumbpieces.




NO. 564 with Bar  
NO. 56478 for Lock  
10½ x 2¼ in.

### LOCKING BUTTON



NO. 510  
For locking down latch bars. Furnished only when ordered.

### THUMB LATCHES FURNISHED WITH LATCH BAR




Type of latch bar furnished with Thumb Latches.


See Latch Bar and Strikes for Reverse Bevel doors on next Page.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

## Offset Bar and Strike for Reverse Bevel Doors




NO. 7501  
Bar  $3\frac{5}{8}$  in. long. Offset  $\frac{7}{8}$  in.  
Strike  $2\frac{1}{4} \times 1\frac{1}{8}$  in.  
Not reversible. State hand.  
Left hand, reverse bevel shown.




NO. 7501 Applied

## Strike for Reverse Bevel Doors FOR USE WITH REGULAR LATCH BARS



NO. 7502  
 $1\frac{3}{8} \times 2\frac{7}{8}$  in.

For  $1\frac{3}{4}$  in. doors, without extension. For doors up to  $2\frac{1}{4}$  in., with extension.  
For right hand, reverse bevel doors only.



NO. 7502 Applied

Made in wrought metal only. In ordering prefix symbol WEH or DH.

## Door Stops



NO. 7362  
Height  $1\frac{5}{8}$  in.



NO. 7362  $\frac{1}{2}$   
Projection  $2\frac{5}{8}$  in.



NO. 7365  
Projection  $3\frac{1}{4}$  in.

## Numerals



1 2 3 4 5 6 7 8 9 0

NO. 7127  
Height 1 in.

NO. 7127  $\frac{1}{4}$   
Height 2 in.

Pins project from back for attaching.



NO. 7652  $\frac{1}{4}$  in.  
NO. 7653  $\frac{3}{8}$  "  
NO. 7655  $\frac{1}{2}$  "  
NO. 7657  $\frac{3}{4}$  "  
NO. 7658 1 "  
NO. 7659  $1\frac{1}{4}$  "  
NO. 7660  $1\frac{1}{2}$  "




NO. 7646  $\frac{3}{8} \times \frac{1}{8}$  in.  
NO. 7647  $\frac{1}{2} \times \frac{3}{4}$  "  
NO. 7648  $\frac{3}{4} \times 1$  "



NO. 7639  $\frac{3}{8}$  in. dia.  
NO. 7640  $\frac{1}{2}$  " "  
NO. 7642  $\frac{3}{4}$  " "  
NO. 7643 1 " "  
NO. 7644  $1\frac{1}{4}$  " "  
NO. 7645  $1\frac{1}{2}$  " "



NO. 7649  $\frac{7}{8}$  in. dia.



All stud shanks are burred to prevent loosening.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.



## Casement Fasteners




SURFACE



RIM



MORTISE



## NO. 7424

Plate  $2\frac{7}{8} \times 1\frac{1}{8}$  in. Lever 4 in.  
Projection  $1\frac{3}{4}$  in.

\*NO. 7424 M (with mortise strike)

\*NO. 7424 R ( " rim " )

\*NO. 7424 S ( " surface " )




SURFACE



RIM



MORTISE



## NO. 7430

Plate  $5 \times 1\frac{1}{2}$  in. Lever 4 in.  
Projection  $1\frac{3}{4}$  in.

NO. 7430 M (with mortise strike)

NO. 7430 R ( " rim " )

NO. 7430 S ( " surface " )




SURFACE



RIM



MORTISE



## NO. 7426

Plate  $3\frac{1}{4} \times \frac{7}{8}$  in. Lever  $3\frac{3}{4}$  in.  
Projection  $1\frac{1}{4}$  in.

NO. 7426 M (with mortise strike)

NO. 7426 R ( " rim " )

NO. 7426 S ( " surface " )

Furnished with oval-head wood screws.


(See also Fastener on page 17.)

\*Not reversible. State hand.  
Right hand shown.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

## Casement Fasteners

49



SURFACE

RIM

MORTISE


NO. 7420

Plate  $2 \times 1\frac{1}{4}$  in. Lever 4 in.  
Projection  $1\frac{3}{4}$  in.

\*NO. 7420 M (with mortise strike)

\*NO. 7420 R ( " rim " )

\*NO. 7420 S ( " surface " )



SURFACE

RIM

MORTISE

NO. 7423

Plate  $2\frac{3}{4} \times 1\frac{1}{2}$  in. Lever  $3\frac{7}{8}$  in.  
Projection  $1\frac{5}{8}$  in.

\*NO. 7423 M (with mortise strike)

\*NO. 7423 R ( " rim " )

\*NO. 7423 S ( " surface " )



SURFACE

RIM

MORTISE

NO. 7428

Plate  $2\frac{1}{2} \times 1\frac{1}{2}$  in. Lever  $3\frac{7}{8}$  in.  
Projection  $1\frac{5}{8}$  in.

\*NO. 7428 M (with mortise strike)

\*NO. 7428 R ( " rim " )

\*NO. 7428 S ( " surface " )

Furnished with screws for attaching.

\*Not reversible. State hand. Right hand shown.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.




50

# Casement Fasteners




SURFACE



RIM



MORTISE



NO. 7422

Plate 3 x 7/8 in. Lever 3 1/4 in.  
Projection 2 1/4 in.

- \*NO. 7422 M (with mortise strike)
- \*NO. 7422 R ( " rim " )
- \*NO. 7422 S ( " surface " )

Furnished with wood screws




SURFACE



RIM



MORTISE



NO. 7460


Plate 3 3/8 x 1 1/8 in. Lever 3 3/4 in.  
Projection 1 1/2 in.

- \*NO. 7460 M (with mortise strike)
- \*NO. 7460 R ( " rim " )
- \*NO. 7460 S ( " surface " )

Furnished with wood screws



SURFACE



RIM



MORTISE



NO. 7461

Plate 3 3/8 x 1 1/4 in. Lever 5 in.  
Projection 1 1/2 in.

- \*NO. 7461 M (with mortise strike)
- \*NO. 7461 R ( " rim " )
- \*NO. 7461 S ( " surface " )

Furnished with screws  
for attaching.

\*Not reversible. State hand.  
Right hand shown.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

## Casement Adjuster



NO. 7050

Bar lengths 8, 10 or 12 in.

Sash plate  $1\frac{7}{8} \times \frac{3}{4}$  in. Two sill plates  $1\frac{7}{8} \times 1\frac{3}{4}$  in.

In ordering, state length of bar wanted.

Furnished with wood screws.

## Sash Hardware

FOR DOUBLE-HUNG WINDOWS



HOOK LIFT

NO. 7802

$\frac{3}{4} \times 1\frac{5}{8}$  in.



SASH FASTENER

NO. 7830 $\frac{1}{2}$

Case  $1 \times 2\frac{5}{8}$  in. Strike  $\frac{7}{8} \times 2\frac{5}{8}$  in.



FLUSH LIFT

NO. 7218

$1\frac{1}{2} \times 3\frac{3}{4}$  in.



BAR LIFT

NO. 50777

$1\frac{3}{8} \times 6\frac{7}{8}$  in.



BAR LIFT

NO. 7735

$1\frac{1}{8} \times 3\frac{7}{8}$  in.

All furnished with wood screws.




BAR LIFT

NO. 7734

$1\frac{1}{4} \times 4\frac{1}{2}$  in.

## Shutter Dog




\*NO. 7916

$2\frac{3}{8} \times 6\frac{7}{8}$  in.


Furnished with  $\frac{1}{2} \times 4$  in. square head lag screw.

Expansion bolt furnished when so ordered.



## Quadrant

FOR DUTCH DOORS



\*NO. 7364 $\frac{1}{2}$

Plates  $2\frac{3}{8} \times 1\frac{1}{2}$  in.

Height, over all  $4\frac{3}{4}$  in.

In ordering, state hand. Right hand shown.

Furnished with wood screws.

\*Not reversible. State hand. Right hand shown.


Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.




# Bolts



NO. 50742  
Plate 5 x 1 5/8 in.  
Length 14 1/2 in.  
Bolt projects 1 1/2 in.




NO. 7859  
Plate 6 3/4 x 1 1/4 in.  
\*Lengths 6, 8 or 12 in.



NO. 7857  
Plate 6 3/4 x 1 1/4 in.  
1/2 in. rabbet  
Lengths 6 or 12 in.  
Reversible



NO. 7560  
Plate 4 5/8 x 1 1/8 in.  
\*Lengths 9, 12, or 18 in.  
Bolt projects 1 1/2 in.  
Made in DH finish only.



NO. 7582  
Length 8 in.  
Bolt projects 5/8 in.



NO. 50743  
Plate 1 1/8 x 3 1/2 in. Strike 1 1/8 x 2 in.  
Bolt projects 1/2 in.




NO. 7585  
Width of plate 1 in.  
Length 2 1/2 in. Strike 1 1/4 in.  
Bolt projects 1/2 in.



NO. 7561  
Width of plate 1 1/8 in.  
\*Lengths 2, 2 1/2, or 3 in.  
Bolt projects 3/8 in.  
Made in DH finish only.



NO. 7562  
Width of plate 1 in.  
\*Lengths 2, 2 1/2, or 3 in.  
Bolt projects 3/8 in.  
Made in DH finish only.



NO. 7580 1/2  
1/2 in. rod. Bolt projects 5/8 in.  
\*Lengths 6, 9, or 12 in.

All furnishings with wood screws for attaching  
\*In ordering, state length.

Prefix letters for finish. EH colonial metal; DH bronze metal, black finish.

PART II

53

EARLY AMERICAN  
WROUGHT IRON  
HARDWARE

EARLY  
AMERICAN  
WROUGHT  
IRON  
HARDWARE



## Part II

## Early American Wrought Iron Hardware

IN a search for the truly representative patterns of the wrought iron hardware of early America, one cannot help but feel that there was great ingenuity and originality among the blacksmiths of all the colonies. It would seem a task almost impossible of accomplishment, to establish for each individual design, the place and date of its origin, or the particular craftsman on whose forge it was produced.

But with an exhaustive study of the vast store of specimens and information available to us in the historical institutions of the country, in the old buildings which still stand and in the works of devoted students of the subject we are able to sense several distinct motives of design which underlie an overwhelming proportion. It becomes increasingly evident that many patterns are merely artistic variations of an original or master motif. It is possible in many cases to name the general section in which a particular motif rose to its greatest popularity and probably found its origin, as the work of an inventive blacksmith.

And so, in selecting a representative group of patterns for reproduction, Corbin has considered only those which can be definitely established among the authentic and popular motifs of the times. Those which are found to have been too limited in the scope of their use have been eliminated as have others which might be considered of a freakish or inartistic nature.

That the "ensemble" idea in design was not in vogue among the colonists is at once apparent. The door handle, hinges, and door knocker seldom were in matched design. Rather, there seems to have been prevalent, a tendency toward the use of pieces which were independent of each other, though the range of design among the knockers and hinges is not as wide in variety as that of the door handles.

On the pages which follow, the Corbin reproductions will be found in groups as they might be used—in a sort of pleasing compromise between modern uniformity and authentic

individuality. One need not feel limited to their use in this manner however, for the pieces may be chosen to suit the ideas and tastes of the user. Electric push buttons have been added for modern efficiency where wanted.

Each piece is individually forged by hand from heated iron. The surface and contour of the articles vary slightly in appearance, due to the method of manufacture, but are reasonably uniform in size so that the dimensions given should be sufficient for ordinary applications.

### FINISHES

Two finishes are provided—dead black, designated in ordering by the symbol DD, and half polished, symbol HD. Either finish can be supplied on all articles except No. 3988 Garage Bolt, No. 3 Garage Door Holder and No. 200 Garage Door Lock, which are made in a dead black finish only and which should be ordered by prefixing the symbol D.

Although the designs in this section are selected from early American patterns, it is entirely within the limits of good taste and judgement to use some of them on buildings which are not strictly early American in their predominant motives, but combine as well, architectural features of foreign lands, for many of the colonial designers took their inspirations from abroad. Undoubtedly, the greatest foreign influence on early American patterning was brought from England aboard the ships of the pilgrims. Too, there are early records to be found, which tell of the imports of wrought iron thumb-latches of the "bean type" (Branford Design, page 66) from that country. And to illustrate the manner in which new motifs sometimes found their way into colonial patterns, we have the crescent (Turkish) combined with the ball and spear (Colonial). The originals were found in towns along the Connecticut River and are believed to be the result of the visit of some sea-faring adventurer to the Orient. (See Hartford Design, page 63)



## Index to Part II

## Designs

<i>Design Name</i>	<i>Motif</i>	<i>Page</i>
COLCHESTER . . . . .	"Swordfish" . . . . .	62
HARTFORD . . . . .	"Ball and spear with crescent" . . . . .	63
HAVERHILL . . . . .	"Arrowhead" . . . . .	64
DOYLESTOWN . . . . .	"Heart" . . . . .	65
BRANFORD . . . . .	"Bean" . . . . .	66
LEXINGTON . . . . .	"Notched arrowhead" . . . . .	67
LAHASKA . . . . .	"Ball and spear" . . . . .	68
HILLSDALE . . . . .	"Blown tulip" . . . . .	69
WEST CHESTER . . . . .	"Curled petal" . . . . .	70
BRONCK . . . . .	"Spearhead" . . . . .	71
WETHERSFIELD . . . . .	"Square pattern" . . . . .	72
HADDAM . . . . .	"Tobacco leaf" . . . . .	73
HADLYME . . . . .	"Beetle" . . . . .	74

## Articles

<i>Article</i>	<i>Page</i>	<i>Article</i>	<i>Page</i>	<i>Article</i>	<i>Page</i>
Adjuster, Casement . . . . .	79	Escutcheons . . . . .	75	Latch Bar . . . . .	77
Anti-Rattle Spring . . . . .	79	Escutcheons, Key . . . . .	75	Latches, Bar . . . . .	78
Bar Latch . . . . .	78	Fasteners, Casement . . . . .	79	Latches, Rim Knob . . . . .	77
Bars, Latch . . . . .	77	Foot Scraper . . . . .	80	Latches, Thumb . . . . .	62-74, 82
Bolts . . . . .	80	Garage Door Bolt . . . . .	80	Letter Boxes . . . . .	82
Bolts, Garage Door . . . . .	81	Garage Door Hardware . . . . .	81	Lever Handles . . . . .	76
Boxes, Letter . . . . .	82	Garage Door Holder . . . . .	81	Lock, Garage Door . . . . .	81
Butterfly Hinge . . . . .	78	Garage Door Lock . . . . .	81	Locking Button . . . . .	77
Button, Locking . . . . .	77	Garage Door Pulls . . . . .	64, 67-69, 81	Pintle Hinges . . . . .	62-74
Buttons, Electric Push . . . . .	62-74	Garage Door T Hinges . . . . .	64, 65, 67-69, 72, 81	Plates, Hinge . . . . .	62-74, 82
Casement Adjusters . . . . .	79	Handles, Drop . . . . .	66, 74	Plates, Push . . . . .	76
Casement Fasteners . . . . .	79	Handles, Entrance Door . . . . .	62-74	Pulls, Drawer . . . . .	78
Chimney Iron . . . . .	80	Handles, Lever . . . . .	76	Pulls, Garage Door . . . . .	64, 67-69, 81
Curved Hinge Plates . . . . .	62-74	Hinge Plates . . . . .	62-74, 82	Rim Knob Latches . . . . .	77
Cylinder Collars . . . . .	62-74	Hinge Plates, Curved . . . . .	62-74	Roses, Knob . . . . .	75
Dogs, Shutter . . . . .	79	Hinges, Butterfly . . . . .	78	Roses, Lever . . . . .	76
Door Knobs . . . . .	75	Hinges, H and HL . . . . .	78	Scraper, Foot . . . . .	80
Door Pulls . . . . .	64, 67-69, 81	Hinges, Pintle . . . . .	62-74	Screws, Drive . . . . .	80
Drawer Pulls . . . . .	78	Hinges, T . . . . .	64, 65, 67-69, 72, 81	Shutter Dogs . . . . .	79
Drive Screws . . . . .	80	Holder, Garage Door . . . . .	81	Spring, Anti Rattle . . . . .	79
Drop Handle . . . . .	66, 74	Iron, Chimney . . . . .	80	Strike for Reverse Bevel Doors . . . . .	77
Electric Push Buttons . . . . .	62-74	Key Escutcheon . . . . .	75	T Hinges, Garage . . . . .	64, 65, 67-69, 72, 81
Entrance Door Handles . . . . .	62-74	Knobs, Door . . . . .	75	Thumb Latches . . . . .	62-74, 82
Entrance Door Knockers . . . . .	62-74	Knobs, Thumb . . . . .	75	Thumb Knobs . . . . .	75
		Knockers, Entrance Door . . . . .	62-74		

## Numbers

<i>No.</i>	<i>Page</i>	<i>No.</i>	<i>Page</i>	<i>No.</i>	<i>Page</i>	<i>No.</i>	<i>Page</i>	<i>No.</i>	<i>Page</i>
3 . . . . .	81	3988 . . . . .	81	9515 . . . . .	78	9749 . . . . .	62, 63	95113 . . . . .	70
200 . . . . .	81	9003 . . . . .	76	9580 . . . . .	80	9755 . . . . .	64, 65	95161 . . . . .	70
909 . . . . .	77	9005 . . . . .	76	9581 . . . . .	80	9756 . . . . .	70	95168 . . . . .	70
950 . . . . .	69	9006 . . . . .	76	9582 . . . . .	80	9900 . . . . .	80	95184 . . . . .	70
951 . . . . .	70	9020 . . . . .	78	9600 . . . . .	76	9914 . . . . .	79	95213 . . . . .	63
952 . . . . .	63	9025 . . . . .	78	9601 . . . . .	76	9915 . . . . .	79	95261 . . . . .	63
953 . . . . .	72	9040 . . . . .	77	9602 . . . . .	76	9916 . . . . .	79	95268 . . . . .	63, 73
954 . . . . .	67	9041 . . . . .	77	9720 . . . . .	62-74	9917 . . . . .	79	95284 . . . . .	63
955 . . . . .	71	9050 . . . . .	79	9721 . . . . .	73, 74	9918 . . . . .	75	95303 . . . . .	75
961 . . . . .	62	9090 . . . . .	80	9722 . . . . .	71	9920 . . . . .	84	95304 . . . . .	76
962 . . . . .	65	9112 . . . . .	76	9723 . . . . .	66	9921 . . . . .	84	95313 . . . . .	72
964 . . . . .	68	9120 . . . . .	78	9724 . . . . .	82	9922 . . . . .	85	95340 . . . . .	75
965 . . . . .	64	9125 . . . . .	78	9725 . . . . .	82	9923 . . . . .	86	95349 . . . . .	75
966 . . . . .	66	9250 . . . . .	78	9727 . . . . .	69	9924 . . . . .	85	95361 . . . . .	72
972 . . . . .	65	9260 . . . . .	66, 74	9728 . . . . .	67, 68, 72	9925 . . . . .	75	95384 . . . . .	72
979 . . . . .	66	9260½ . . . . .	66, 74	9729 . . . . .	62, 63	9926 . . . . .	86	95413 . . . . .	67
980 . . . . .	82	9286 . . . . .	81	9730 . . . . .	81	9927 . . . . .	86	95461 . . . . .	67
981 . . . . .	71	9320 . . . . .	78	9731 . . . . .	64, 65	9930 . . . . .	84	95484 . . . . .	67
982 . . . . .	68	9370 . . . . .	62, 67-69	9732 . . . . .	69	9931 . . . . .	84	95487 . . . . .	67
983 . . . . .	69	9372 . . . . .	71, 72	9733 . . . . .	67, 68, 72	9932 . . . . .	85	95503 . . . . .	75
984 . . . . .	62, 74	9400 . . . . .	77	9735 . . . . .	64, 65	9933 . . . . .	86	95513 . . . . .	71
986 . . . . .	67	9401 . . . . .	77	9736 . . . . .	70	9990 . . . . .	82	95540 . . . . .	75
987 . . . . .	73	9402 . . . . .	77	9741 . . . . .	73, 74	9991 . . . . .	82	95549 . . . . .	75
988 . . . . .	82	9403 . . . . .	77	9742 . . . . .	71	95013 . . . . .	69	95561 . . . . .	71
989 . . . . .	72	9430 . . . . .	79	9743 . . . . .	66	95061 . . . . .	69	95584 . . . . .	71
999 . . . . .	79	9432 . . . . .	79	9747 . . . . .	69	95084 . . . . .	69	96113 . . . . .	62
1900 . . . . .	75	9503 . . . . .	77	9748 . . . . .	67, 68, 72	95087 . . . . .	69	96161 . . . . .	62
								96884 . . . . .	74
								96931 . . . . .	75
								96961 . . . . .	73
								96984 . . . . .	73
								98731 . . . . .	75




## Hardware for Entrance Doors

56




COLCHESTER



(See page 62)

A handle of the "sword-fish" pattern, found frequently in Connecticut and Massachusetts. Known to have been made between 1780 and 1800. The hinge plates are similar in design.

HARTFORD



(See page 63)


The "ball and spear" motif with crescent below was a product of the artistic and imaginative smiths of the Connecticut Valley. The door handle and knocker are both of this pattern. Hinge plates are similar.







## Hardware for the Entrance Doors

57





HAVERHILL



(See page 64)

The "arrowhead" pattern widely used throughout the colonies. A specimen of this type is found in the home of John Greenleaf Whittier at Haverhill, Mass., built in 1760.

DOYLESTOWN



(See page 65)

A favorite of the German settlers of Pennsylvania was this "heart" design, although there is ample evidence of its use in widely scattered sections.






## Hardware for Entrance Doors

56




COLCHESTER



(See page 62)

A handle of the "sword-fish" pattern, found frequently in Connecticut and Massachusetts. Known to have been made between 1780 and 1800. The hinge plates are similar in design.

HARTFORD



(See page 63)

The "ball and spear" motif with crescent below was a product of the artistic and imaginative smiths of the Connecticut Valley. The door handle and knocker are both of this pattern. Hinge plates are similar.







## Hardware for the Entrance Doors

57





HAVERHILL



(See page 64)

The "arrowhead" pattern widely used throughout the colonies. A specimen of this type is found in the home of John Greenleaf Whittier at Haverhill, Mass., built in 1760.

DOYLESTOWN



(See page 65)

A favorite of the German settlers of Pennsylvania was this "heart" design, although there is ample evidence of its use in widely scattered sections.






## Hardware for Entrance Doors

58




BRANFORD



(See page 66)

The "bean" type, perhaps the most common of all colonial patterns, so called because of the resemblance of the cusps of the handle to a lima bean. Made both in this country and imported in Pre-Revolutionary days.

LEXINGTON



(See page 67)


A variation of the "arrow-head" termed the "notched arrowhead". Specimens of this type, made as early as 1698 are still in existence. Both door handle, and hinge plates are similar in design.






# Hardware for the Entrance Doors

59




LAHASKA



(See page 68)


A door handle of the "ball and spear" motif, combined with hinge plates of the "notched arrowhead" and the "four leaf" door knocker offers a trim with pleasing diversity of pattern.

HILLSDALE



(See page 69)

This phase of the "tulip" motif was popular in the Housatonic Valley and in Pennsylvania, particularly with the Dutch settlers of the eighteenth century.







## Hardware for the Entrance Doors

60





WEST CHESTER



(See page 70)


The date and origin of this pattern are not definitely known; however it is evidently the master motif for other pieces of marked resemblance produced in Pennsylvania.

BRONCK



(See page 71)


This "spearhead" design, although somewhat like the "arrowhead" has its own characteristics, for it is longer and has the appearance of graceful slenderness. A variation which can easily be called artistic.






## Hardware for Entrance Doors

61




HADDAM



(See page 73)

The "tobacco leaf" pattern, found on the buildings of the rich tobacco lands of the Connecticut Valley and in Southern Massachusetts. There are still several interesting examples of this pattern in use.

WETHERSFIELD



(See page 72)

A Norfolk type door handle of early design, with only slight attempt at ornamentation. The door knocker is of a similar pattern while the "notched arrowhead" hinge plates offer an authentic variation.







## Colchester

(Application on page 56)


62




CYLINDER COLLAR  
NO. 96113  
3 3/4 x 2 1/4 in.  
Twelve in a box.




ELECTRIC PUSH BUTTON  
NO. 96161  
3 x 1 3/4 in.  
Three in a box.




THUMBLATCH  
NO. 984  
9 1/4 x 2 1/2 in.  
Furnished with No. 9041 Latch  
Bar shown on page 77.  
Two in a box, with Latch Bars



THUMB LATCH  
NO. 961  
12 x 2 3/4 in.  
Furnished with No. 9040 Latch  
Bar shown on page 77  
One in a box with Latch Bar.




ENTRANCE DOOR HANDLE  
NO. 96184  
12 x 2 3/4 in.  
Projection 2 3/8 in.  
Made for use with cylinder locks.  
Handle number includes cylinder  
collar.  
One in a box, with cylinder collar.



ENTRANCE DOOR KNOCKER  
NO. 9370  
Plates 2 3/4 x 2 3/4 in.  
Bail 5 x 3 5/8 in.  
One in a box, with through bolt.



PINTLE  
NO. 9720  
3 x 1 1/2 in.  
For Hinge Plates



CURVED HINGE PLATE  
NO. 9749  
Regularly furnished for circle-top  
doors 3 feet wide, with 5 inch stile  
and 1/2 inch stop. Butt stock 4 1/2 in.  
Other sizes made to order.



HINGE PLATE  
NO. 9729  
Width 1 1/2 in. Lengths 14, 22 and 30 in.  
In ordering, state length.  
Two in a package.

Hinge Plates will be furnished  
for use with Pintle No. 9720  
when so ordered.

All pieces furnished with drive screws.

Prefix letters for finish. DD dead black; HD half polished

# Hartford

(Application on page 56)


63




CYLINDER COLLAR  
NO. 95213  
3 3/8 x 2 in.  
Twelve in a box.



ELECTRIC PUSH BUTTON  
NO. 95261  
3 x 1 3/4 in.  
Three in a box.




ENTRANCE DOOR KNOCKER  
NO. 95268  
9 1/2 x 2 5/8 in.  
One in a box.



THUMB LATCH  
NO. 952  
13 x 2 5/8 in.

Furnished with No. 9040  
Latch Bar shown on page 77.  
One in a box, with Latch Bar




ENTRANCE DOOR HANDLE  
NO. 95284  
13 x 2 5/8 in.  
Projection 2 1/4 in.

Made for use with cylinder locks.  
Handle number includes cylinder  
collar.  
One in a box, with cylinder collar.



PINTLE  
NO. 9720  
3 x 1 1/2 in.  
For Hinge Plates.  
Hinge Plates will be furn-  
ished for use with Pintle  
when so ordered.



CURVED HINGE PLATE  
NO. 9749

Regularly furnished for circle top  
doors 3 feet wide, with 5 inch stile  
and 1/2 inch stop. Butt stock 4 1/2 in.  
Other sizes made to order.



HINGE PLATE  
NO. 9729

Width 1 1/2 in. Lengths 14, 22 and 30 in.  
In ordering, state length. Two in a package.

All pieces furnished with  
drive screws.

Prefix letters for finish. DD dead black; HD half polished





## Haverhill

(Application on page 57)


64




CYLINDER COLLAR  
NO. 96513  
2 $\frac{3}{8}$  x 2 $\frac{1}{4}$  in.  
Twelve in a box.



ELECTRIC PUSH BUTTON  
NO. 96561  
1 $\frac{3}{4}$  x 1 $\frac{3}{4}$  in.  
Three in a box.




GARAGE DOOR PULL  
NO. 96587  
11 x 3 $\frac{1}{8}$  in.  
Three in a box.



THUMB LATCH  
NO. 965  
11 x 3 $\frac{1}{8}$  in.

Furnished with No. 9040  
Latch Bar shown on page 77.  
One in a box, with Latch Bar.




ENTRANCE DOOR HANDLE  
NO. 96584  
11 x 3 $\frac{1}{8}$  in.  
Projection 2 $\frac{1}{4}$  in.

Made for use with cylinder locks.  
Handle number includes cylinder  
collar.

One in a box, with cylinder collar.



ENTRANCE DOOR KNOCKER  
NO. 96268  
6 x 2 in.  
One in a box.



CURVED HINGE PLATE  
NO. 9755

Regularly furnished for circle-top  
doors 3 feet wide, with 5 inch stile  
and  $\frac{1}{2}$  inch stop. Butt stock 4 $\frac{1}{2}$  in.  
Other sizes made to order.



HINGE PLATE  
NO. 9735

Width 1 $\frac{1}{2}$  in. Lengths 14, 22 and 30 in.  
In ordering, state length.  
Two in a package with drive screws.

Hinge Plates will be furnished for  
use with Pintle when so ordered.



GARAGE T HINGES  
(Loose Pin)  
NO. 9731

Reverse Pads 6 x 1 $\frac{5}{8}$  in. Lengths 20 or  
30 in. In ordering, state length.  
One pair in a package with screws,  
through-bolts and washers.



PINTLE  
NO. 9720  
3 x 1 $\frac{1}{2}$  in.  
For Hinge Plates

All pieces furnished with  
drive screws except No. 9731

Prefix letters for finish. DD dead black; HD half polished.

# Doylestown

(Application on page 57)


65




CYLINDER COLLAR  
NO. 96213  
2 3/8 x 2 3/8 in.  
Twelve in a box.




ELECTRIC PUSH BUTTON  
NO. 96261  
1 3/4 x 1 3/4 in.  
Three in a box.



THUMB LATCH  
NO. 972  
8 x 2 1/8 in.



THUMB LATCH  
NO. 962  
9 3/4 x 2 1/8 in.



ENTRANCE DOOR HANDLE  
NO. 96284  
9 3/4 x 2 1/8 in.  
Projection 2 1/4 in.


Made for use with cylinder locks.  
Handle number includes cylinder collar.  
One in a box with cylinder collar.



ENTRANCE DOOR KNOCKER  
NO. 96268  
6 x 2 in.  
One in a box.


Furnished with No. 9041  
Latch Bar shown on page 77  
Two in a box, with Latch Bars.

Furnished with No. 9040  
Latch Bar shown on page 77  
One in a box, with latch bar.



CURVED HINGE PLATES  
NO. 9755

Regularly furnished for circle-top doors 3 feet wide, with 5 inch stile and 1/2 inch stop. Butt stock 4 1/2 in. Other sizes made to order.



GARAGE T HINGES  
(Loose Pin)  
NO. 9731

Reverse Pad 6 x 1 5/8 in. Lengths 20 or 30 in.  
In ordering, state length.  
One pair in a package with screws and through-bolts and washers.



HINGE PLATE  
NO. 9735

Width 1 1/2 in. Lengths 14, 22 and 30 in.  
In ordering, state length.  
Two in a package.



PINTLE  
NO. 9720

3 x 1 1/2 in.  
For Hinge Plates.

Hinge Plates will be furnished for use with Pintle when so ordered.

All pieces furnished with drive screws, except No. 9731.


Prefix letters for finish. DD dead black; HD half polished



## Branford

(Application on page 58)


66



CYLINDER COLLAR  
NO. 96613  
2 x 2¼ in.  
Twelve in a box.




ELECTRIC PUSH BUTTON  
NO. 96661  
1¼ x 1¾ in.  
Three in a box.



THUMB LATCH  
NO. 979  
7 x 2¼ in.

Has long thumb piece and is furnished with No. 9041 Latch Bar shown on page 77.


Two in a box with latch bar.



THUMB LATCH  
NO. 966  
8¾ x 3 in.


Furnished with No. 9040 Latch Bar shown on page 77.

One in a box, with latch bar.



ENTRANCE DOOR HANDLE  
NO. 96684  
8¾ x 3 in.

Made for use with cylinder locks. Handle number includes cylinder collar. One in a box, with cylinder collar.



\*ENTRANCE DOOR KNOCKER  
NO. 9260½  
Plates 1⅝ x 2⅝ in.  
Ring 4⅝ x 4¼ in.

\*Also furnished as DROP HANDLE with ⅞ in. spindle for use with locks. Order by NO. 9260

One in a box, with through-bolt or spindle.



PINTLE  
NO. 9720  
3 x 1½ in.

For Hinge Plates  
Hinge Plates will be furnished for use with Pintle when so ordered.



CURVED HINGE PLATE  
NO. 9743

Regularly furnished for circle-top doors 3 feet wide, with 5 inch stile and ½ inch stop. Butt stock 1½ inches. Other sizes made to order.



HINGE PLATE  
NO. 9723

Width 1½ in. Lengths 14, 22 and 30 in.  
In ordering state length.  
Two in a package.


All pieces furnished with drive screws.

Prefix letters for finish. DD dead black; HD half polished.

# Lexington

(Application on page 58)


67



CYLINDER COLLAR  
NO. 95413  
2 1/8 x 2 1/2 in.  
Twelve in a box.




ELECTRIC PUSH BUTTON  
NO. 95461  
1 3/4 x 1 3/4 in.  
Three in a box.




THUMB LATCHES  
NO. 986  
8 3/4 x 2 1/2 in.  
NO. 954  
11 x 3 3/4 in.

Furnished with No. 9041 and 9040 Latch Bars, respectively. Shown on page 77.


No. 986, two in a box; No. 954 one in a box, with latch bars.



ENTRANCE DOOR KNOCKER  
NO. 9370  
Plates 2 3/4 x 2 3/4 in.  
Ring 5 x 3 5/8 in.  
One in a box, with through-bolt.




GARAGE DOOR PULL  
NO. 95487  
11 1/2 x 3 3/4 in.  
Three in a box.



ENTRANCE DOOR HANDLE  
NO. 95484  
11 x 3 3/4 in.  
Projection 2 1/4 in.

Made for use with cylinder locks. Handle number includes cylinder collar.  
One in a box, with cylinder collar.




CURVED HINGE PLATE  
NO. 9748

Regularly furnished for circle-top doors. 3 feet wide with 5 inch stile and 1/2 inch stop. Butt stock 4 1/2 inches. Other sizes made to order.



HINGE PLATE  
NO. 9728

Width 1 1/2 in. Lengths 14, 22 and 30 in.  
In ordering, state length.  
Two in a package.



GARAGE T HINGE  
(Loose Pin)  
NO. 9733

Reverse Pad 6 x 1 5/8 in. Lengths 20 or 30 in.  
In ordering, state length.

One pair in a package, with screws and through-bolts and washers.



PINTLE  
NO. 9720  
3 x 1 1/2 in.  
For hinge plates.

Hinge Plates will be furnished for use with Pintle when so ordered.


All pieces furnished with drive screws except No. 9733.

Prefix letters for finish. DD dead black; HD half polished



## Lahaska


(Application on page 59)



CYLINDER COLLAR  
NO. 96413  
2 3/4 x 2 1/4 in.  
Twelve in a box.



ELECTRIC PUSH BUTTON  
NO. 96461  
1 1/2 x 1 5/8 in.  
Three in a box.



THUMB LATCHES  
NO. 982  
9 x 2 1/4 in.  
\*NO. 964  
11 x 3 3/8 in.


Furnished with No. 9041 and 9040 Latch Bars respectively. Shown on page 77.

No. 982, two in a box; No. 964, one in a box, with latch bars.


\*Designed same as handle No. 96484




GARAGE DOOR PULL  
NO. 96487  
11 x 3 3/8 in.  
Three in a box.



ENTRANCE DOOR HANDLE  
NO. 96484  
11 x 3 3/8 in.  
Projection 2 1/4 in.  
Made for use with cylinder locks. Handle number includes cylinder collar.  
One in a box, with cylinder collar.



ENTRANCE DOOR KNOCKER  
NO. 9370  
Plates 2 3/4 x 2 3/4 in.  
Ring 5 x 3 5/8 in.  
One in a box, with drive screws and through-bolt.



CURVED HINGE PLATE  
NO. 9748


Regularly furnished for circle-top doors 3 feet wide with 1/2 inch stop. Butt stock 4 1/2 in. Other sizes made to order.



HINGE PLATE  
NO. 9728

Width 1 1/2 in. Lengths 14, 22 and 30 in.  
In ordering, state length.  
Two in a package.

Hinge Plates will be furnished for use with Pintle when so ordered.



GARAGE T HINGES  
(Loose Pin)  
NO. 9733

Reverse Pad 6 x 1 5/8 in. Lengths 20 and 30 in.  
In ordering, state length.  
One pair in a package with screws and through-bolts and washers.



PINTLE  
NO. 9720  
3 x 1 1/2 in.  
For Hinge Plates.

All pieces furnished with drive screws, except No. 9733.

Prefix letters for finish. DD dead black; HD half polished

## Hillsdale


(Application on page 59)




CYLINDER COLLAR  
NO. 95013  
2 3/8 x 2 1/4 in.  
Twelve in a box.




ELECTRIC PUSH BUTTON  
NO. 95061  
2 1/8 x 1 1/2 in.  
Three in a box.




THUMB LATCHES  
NO. 983  
8 3/4 x 2 1/8 in.  
NO. 950  
12 1/2 x 3 1/2 in.




ENTRANCE DOOR KNOCKER  
NO. 9370  
Plates 2 3/4 x 2 3/4 in.  
Ring 5 x 3 5/8 in.  
One in a box, with  
through-bolt.



GARAGE DOOR PULL  
NO. 95087  
12 1/2 x 3 1/2 in.  
Three in a box.




ENTRANCE DOOR HANDLE  
NO. 95084  
12 1/2 x 3 1/2 in.  
Projection 2 1/4 in.  
Made for use with cylinder locks. Handle number includes cylinder collar.  
One in a box with cylinder collar.



CURVED HINGE PLATE  
NO. 9747

Regularly furnished for circle-top doors 3 feet wide with 1/2 inch stop. Butt stock 4 1/2 inches wide. Other sizes made to order.

Hinge Plates and Hinges of this design are regularly furnished in pairs with finials curling downward and upward. When otherwise desired, state hand in ordering.  
Right hand shown.



GARAGE T HINGE  
(Loose Pin)  
NO. 9732  
Reverse Pad 6 x 1 5/8 in. Lengths 14, 22 and 30 in.  
In ordering, state length.  
One pair in a package, with screws and through-bolts and washers.



HINGE PLATE  
NO. 9727

Width 1 1/2 in. Lengths 14, 22 and 30 in.  
In ordering, state length.  
One pair in a box.



PINTLE  
NO. 9720  
3 x 1 1/2 in.  
For Hinge Plates.

Hinge Plates will be furnished for use with Pintle when so ordered.

All pieces furnished with drive screws except No. 9732.

Prefix letters for finish. DD dead black; HD half polished



# West Chester

(Application on page 60)

70




CYLINDER COLLAR  
NO. 95113  
2 3/8 x 2 1/4 in.  
Twelve in a box.




ELECTRIC PUSH BUTTON  
NO. 95161  
1 7/8 x 1 5/8 in.  
Three in a box.



ENTRANCE DOOR KNOCKER  
NO. 95168  
6 1/4 x 2 1/4 in.  
Projection 2 1/2 in.  
One in a box.




THUMB LATCH  
NO. 951  
9 1/2 x 3 1/2 in.  
Furnished with No. 9040  
Latch Bar shown on page  
77.  
One in a box, with latch  
bar.



ENTRANCE DOOR HANDLE  
NO. 95184  
9 1/2 x 3 1/2 in.  
Projection 2 1/4 in.  
Made for use with cylin-  
der locks. Handle number  
includes cylinder collar.  
One in a box, with cylin-  
der collar.



PINTLE  
NO. 9720  
3 x 1 1/2 in.  
Hinge Plates will be fur-  
nished for use with Pintle  
when so ordered.



CURVED HINGE PLATE  
NO. 9756  
Regularly furnished for circle-  
top doors 3 feet wide with 5  
inch stile and 1/2 inch stop. Butt  
stock 4 1/2 inches. Other sizes  
made to order.



HINGE PLATE  
NO. 9736  
Width 1 1/2 in. Lengths 14, 22 and 30 in.  
In ordering, state length.  
Two in a package.

All pieces furnished  
with drive screws.

Prefix letters for finish. DD dead black; HD half polished


# Bronck

(Application on page 60)


71




CYLINDER COLLAR  
NO. 95513  
3 3/8 x 2 1/4 in.  
Twelve in a box.




THUMB LATCH  
NO. 95584  
12 1/4 x 2 3/8 in.  
Projection 2 1/4 in.  
Made for use with cylinder locks. Handle number includes cylinder collar.  
One in a box, with cylinder collar.




ELECTRIC PUSH BUTTON  
NO. 95561  
2 1/8 x 1 1/2 in.  
Three in a box.




ENTRANCE DOOR KNOCKER  
NO. 9372  
5 x 2 in.  
Projection 2 1/2 in.  
One in a box.



THUMB LATCH  
NO. 981  
8 1/2 x 2 in.  
Furnished with No. 9041 Latch Bar shown on page 77.  
Two in a box, with latch bars.



THUMB LATCH  
NO. 955  
Furnished with No. 9040 Latch Bar shown on page 77.  
One in a box, with latch bar.



CURVED HINGE PLATE  
NO. 9742  
Regularly furnished for circle-top doors 3 feet wide with 5 inch stile and 1/2 inch stop. Butt stock 4 1/2 inches. Other sizes made to order.



PINTLE  
NO. 9720  
3 x 1 1/2 in.  
For Hinge Plates

Hinge Plates will be furnished for use with Pintle No. 9720 when so ordered.

HINGE PLATE  
NO. 9722  
Width 1 1/2 in. Lengths 14, 22 and 30 in.  
In ordering, state length.  
Two in a package.

All pieces furnished with drive screws.

Prefix letters for finish. DD dead black; HD half polished







72

## Wethersfield


(Application on page 61)



CYLINDER COLLAR  
NO. 95313  
2 x 2 in.  
Twelve in a box.




ELECTRIC PUSH BUTTON  
NO. 95361  
1 3/4 x 1 3/4 in.  
Three in a box.




THUMB LATCH  
NO. 989  
7 5/8 x 2 1/8 in.

Furnished with No. 9041  
Latch Bar shown on page  
77.


Two in a box, with latch  
bars.



ENTRANCE DOOR  
KNOCKER  
NO. 9372  
5 x 2 in.  
Projection 2 1/2 in.  
One in a box.




ENTRANCE DOOR HANDLE  
NO. 95384  
10 3/4 x 3 1/2 in.  
Projection 2 1/4 in.  
Made for use with cylin-  
der locks. Handle number  
includes cylinder collar.  
One in a box, with cylin-  
der collar.



THUMB LATCH  
NO. 953  
10 3/4 x 3 in.

Furnished with No. 9040  
Latch Bar shown on page  
77.

One in a box, with Latch  
Bar.




CURVED HINGE PLATE  
NO. 9748

Regularly furnished for circle-  
top doors 3 feet wide with 5  
inch stile and 1/2 inch stop. Butt  
stock 4 1/2 inches. Other sizes  
made to order.



HINGE PLATE  
NO. 9728

Width 1 1/2 in. Lengths 14, 22 and 30 in.  
In ordering, state length.  
Two in a box.



GARAGE T HINGE  
(Loose Pin)  
NO. 9733

Reverse Pad 6 x 1 5/8 in.  
Lengths 14, 22 and 30 in.  
In ordering, state length.

One pair in a box, with screws and  
through-bolts and washers.



PINTLE  
NO. 9720  
3 x 1 1/2 in.

For Hinge Plates.


Hinge Plates will be furnished for  
use with Pintle when so ordered.

All pieces furnished with  
drive screws except No. 9733.

Prefix letters for finish. DD dead black; HD half polished

## Haddam

(Application on page 61)




NO. 96984



ELECTRIC PUSH BUTTON  
NO. 96961  
3½ x 1½ in.  
Three in a box.




ENTRANCE DOOR KNOCKER  
NO. 95268  
9½ x 2½ in.  
Projection 2½ in.  
One in a box.



THUMB LATCH  
NO. 987  
9¾ x 2¼ in.  
Furnished with No. 9041  
Latch Bar shown on page 77.  
Two in a box, with latch bar.



PINTLE  
NO. 9720  
3 x 1½ in.  
For Hinge Plates.  
Hinge Plates will be  
furnished for use with  
Pintle when so ordered.



CURVED HINGE PLATE  
NO. 9741  
Regularly furnished for circle-top doors  
3 feet wide with 5 inch stile and ½ inch  
stop. Butt stock 4½ inches.  
Other sizes made to order.



HINGE PLATE  
NO. 9721  
Width 1½ in. Lengths 14, 22 and 30 in.  
In ordering, state size.  
Two in a package.


All pieces furnished with drive screws.

Prefix letters for finish. DD dead black; HD half polished



# Hadlyme


74



ENTRANCE DOOR HANDLE  
NO. 96884  
18 x 3½ in.  
Projection 2¼ in.  
Made for use with cylinder  
locks.  
One in a box.




ELECTRIC PUSH BUTTON  
NO. 96861  
4 x 1¼ in.  
Three in a box




\*ENTRANCE DOOR KNOCKER  
NO. 9260½  
Plates 1½ x 2½ in. Ring 4½ x 4¼ in.  
\*Also furnished as DROP HANDLE with  
⅛ in. spindle for use with locks.  
Order by NO. 9260  
One in a box, with through-  
bolt or spindle.



PINTLE  
NO. 9720  
3 x 1½ in.  
For Hinge Plates  
Hinge Plates will be  
furnished for use with  
Pintle when so ordered.



THUMB LATCH  
NO. 984  
9¼ x 2½ in.  
Furnished with No. 9041  
Latch Bar shown on page 77.  
Two in a box, with latch bar.



CURVED HINGE PLATE  
NO. 9741  
Regularly furnished for circle-top doors  
3 feet wide, with 5 inch stile and ½ inch  
stop. Butt stock 4½ in. Other sizes made  
to order.




HINGE PLATE  
NO. 9721  
Width 1½ in. Lengths 14, 22 and 30 in.  
In ordering, state length.  
Two in a package.

All pieces furnished with drive screws.


Prefix letters for finish. DD dead black; HD half polished

## Knobs and Escutcheons

75




ESCUTCHEON NO. 96931  
7 $\frac{7}{8}$  x 2 in.  
KNOB NO. 9925  
1 $\frac{3}{4}$  in. dia.



ESCUTCHEON NO. 96531  
7 $\frac{3}{8}$  x 1 $\frac{5}{8}$  in.  
KNOB NO. 9918  
1 $\frac{3}{4}$  in. dia.


Escutcheons, six in a box, with drive screws  
Knobs two pair in a box.




ESCUTCHEON NO. 98731  
8 x 1 $\frac{5}{8}$  in.  
KNOB NO. 1900  
1 $\frac{7}{8}$  x 1 $\frac{3}{8}$  in.

Knob is polished brass.  
In ordering, prefix symbol "A".


## Knobs, Roses and Key Escutcheons



ROSE NO. 95503  
2 $\frac{1}{2}$  x 2 $\frac{1}{2}$  in.  
KNOB NO. 9918  
1 $\frac{3}{4}$  in. dia.



ROSE NO. 96503  
2 $\frac{1}{8}$  x 2 in.  
KNOB NO. 1900  
1 $\frac{7}{8}$  x 1 $\frac{3}{8}$  in.  
Knob is polished brass.



ROSE NO. 95303  
2 x 2 in.  
KNOB NO. 9925  
1 $\frac{3}{4}$  in. dia.



NO. 95540  
1 $\frac{1}{2}$  x 1 $\frac{1}{2}$  in.



NO. 96540  
1 $\frac{1}{2}$  x 1 $\frac{1}{2}$  in.



NO. 95340  
1 $\frac{7}{8}$  x 1 $\frac{1}{8}$  in.

Roses and Key Escutcheons, twelve in a box, with drive screws.

## Thumb Knobs



NO. 95549  
1 $\frac{1}{2}$  x 1 $\frac{1}{2}$  in.



NO. 96549  
1 $\frac{1}{2}$  x 1 $\frac{1}{2}$  in.



NO. 95349  
1 $\frac{7}{8}$  x 1 $\frac{1}{8}$  in.


Thumb Knobs, twelve in a box, with drive screws.

Prefix letters for finish. DD dead black; HD half polished.






76




NO. 9003  
1 5/8 x 2 1/8 in.



NO. 95304  
2 x 2 in.

## Lever Handle

AND ROSES



LEVER NO. 9112

Length 3 1/4 in. Projection 2 3/8 in.


ROSE NO. 9005

2 1/2 x 2 1/2 in.

These Roses for use with Lever Handle only.

Lever, two pairs in a box.

Roses, twelve in a box, with screws.



NO. 9006  
4 1/4 x 1 3/4 in.




NO. 96504  
2 1/8 x 2 in.

## Push Plates



NO. 9600  
12 x 3 in.



NO. 9602  
15 x 3 1/2 in.

Six in a box, with drive screws.




NO. 9601  
Two Sizes  
12 x 3 in.  
15 x 3 1/2 in.  
In ordering state size.

*Prefix letters for finish. DD dead black; HD half polished*

## Rim Knob Latches


\*NOT REVERSIBLE

77




NO. 9400  
3 x 5 in.

Includes one pair polished brass knobs  $1\frac{7}{8} \times 1\frac{3}{8}$  in.  
and brass rose  $1\frac{3}{4}$  in. dia.




NO. 9401  
3 x 3 in.

Includes one pair polished brass knobs  $1\frac{1}{2} \times 1\frac{1}{4}$  in.  
and brass rose  $1\frac{3}{4}$  in. dia.



NO. 9403  
 $3\frac{1}{2} \times 5\frac{1}{2}$  in.

Includes one pair polished brass knobs  $1\frac{7}{8} \times 1\frac{7}{8}$  in.  
and brass rose  $1\frac{3}{4}$  in. dia.



NO. 9402  
 $3\frac{3}{8} \times 3\frac{3}{8}$  in.  
With Slide Bolt


Includes one pair polished brass knobs  $1\frac{1}{2} \times 1\frac{1}{4}$  in.  
and brass rose  $1\frac{3}{4}$  in. dia.

\*In ordering, state hand. Left hand shown.  
One set in a box, with screws.

## Latch Bar

FURNISHED WITH THUMB LATCHES

LOCKING BUTTON



Latch Bar applied with  
LOCKING BUTTON  
NO. 909  
Furnished with Latch  
Bars only when ordered.



NO. 9041  
Length  $6\frac{7}{8}$  in.  
For use with small Thumb Latches.  
NO. 9040  
Length 8 in.  
For use with large Thumb Latches.


Twelve in a box, with screws.



STRIKE FOR  
REVERSE BEVEL DOORS



NO. 9503




Latch Bar applied with  
REVERSE BEVEL STRIKE  
NO. 9503  
 $2\frac{1}{4} \times 1\frac{1}{8}$  in.

Prefix letters for finish. DD dead black; HD half polished




## H and HL Hinges

78




Right hand top hinge, or  
left hand bottom.

\*NO. 9125  
3 x 3 in.  
4 x 4 "  
7 x 6 3/4 "  
9 x 8 1/2 "




NO. 9120  
3 x 1 3/4 in.  
4 x 1 7/8 "  
7 x 2 1/4 "  
9 x 2 1/2 "



Left hand top hinge, or  
right hand bottom.

\*NO. 9025  
3 x 3 in.  
4 x 4 "  
7 x 6 3/4 "  
9 x 8 1/2 "



NO. 9020  
3 x 1 3/4 in.  
4 x 1 7/8 "  
7 x 2 1/4 "  
9 x 2 1/2 "

### RECOMMENDED USE OF H AND HL HINGES


#### FOR CUPBOARD AND INTERIOR DOORS

HL Hinges are reversible when ordered in pairs.  
When ordering singly, indicate hand wanted.

Six pairs in a box, with drive screws.


Height	Width	Thickness	Hinges	Size
2'0"	1'8"	7/8"	1 pair HL Hinges	3 in.
3'0"	1'8"	1"	1 pair HL Hinges, 1/2 pair H Hinges	4 "
6'8"	2'6"	1 1/8"	"	7 "
7'0"	2'8"	1 3/4"	"	9 "

## Butterfly Hinge




NO. 9515  
2 1/2 x 2 in.  
Six pairs in a box, with screws.

## Drawer Pull



NO. 9250  
2 1/2 x 2 1/2 in.  
Twelve in a box  
with drive screws.

## Bar Latch



NO. 9320  
Plate and strike 2 x 3/4 in.  
Bar length 2 1/4 in.  
Has brass knob.  
Twelve in a box, with screws.

All pieces furnished with screws.


Prefix letters for finish. DD dead black; HD half polished

## Shutter Hinges




\*No. 9771  
(Right Hand)

Straps show when shutters are open.  
Length (not including offset) 15 in.  
Width of strap  $1\frac{1}{4}$  in. Pintle  $2\frac{1}{4} \times 1$  in.  
Offset (A)  $\frac{1}{2}$  in. Throw (B) 2 in.



\*No. 9781  
(Left Hand)


Straps show when shutters are closed.  
Length (not including offset) 12 in.  
Width of strap  $1\frac{1}{4}$  in. Pintle  $2\frac{1}{4} \times 1$  in.  
Offset (A)  $\frac{1}{2}$  in. Throw (B) 2 in.




\*Not reversible. In ordering, state hand.  
Can be furnished to order for other details. Send sketch of application.  
Two pairs in a package, with screws.

## Shutter Dog

### Shutter Ring



No. 9252  
 $3\frac{1}{8} \times 2$  in.  
Twelve in a box, with screws.




No. 9913  
(Reversible)  
 $6\frac{1}{4} \times 4\frac{3}{4}$  in.  
Twelve in a box, with lag screws  
and washers. Furnished with  
expansion bolts, when so ordered.

### Shutter Bolt




No. 9585  
 $10 \times 1\frac{3}{4}$  in.  
Bolt projects  $2\frac{5}{8}$  in.  
Six in a box, with screws.

## H and HL Hinge Plates



Right hand top hinge,  
or left hand bottom.

\*No. 9135  
 $7 \times 6\frac{3}{4}$  in.  
 $9 \times 8\frac{1}{2}$  in.  
Buttstocks fur-  
nished 3,  $3\frac{1}{2}$  or 4  
in., as ordered.



No. 9130  
 $7 \times 2\frac{1}{4}$  in.  
 $9 \times 2\frac{1}{2}$  in.


\*HL Hinges are reversible when ordered in pairs.  
When ordering singly, indicate hand wanted.  
Six pairs in a box, with drive screws.

Prefix letters for finish. DD dead black; HD half polished



## Casement Fasteners

79




MORTISE RIM SURFACE  
NO. 9430

Plate 4 x 3/4 in. Lever 1 3/4 in. Projection 1 1/4 in.

NO. 9430 M (with mortise strike)

NO. 9430 R ( " rim " )

NO. 9430 S ( " surface " )



MORTISE RIM SURFACE  
NO. 9432

Plate 3 x 1 1/4 in. Lever 4 in. Projection 1 1/4 in.


NO. 9432 M (with mortise strike)

NO. 9432 R ( " rim " )

NO. 9432 S ( " surface " )

Twelve in a box, with screws.

## Casement Adjuster



NO. 9050


Plates, sash 2 x 1 1/4 in., sill 2 x 3/4 in.

Length of bar 10, 12, or 15 in.

In ordering, state length.


Four in a box, with screws.

## Shutter Dogs




NO. 9914  
6 3/4 x 1 1/4 in.

NO. 9915  
7 1/4 x 1 1/2 in.



NO. 999



\*NO. 9916  
6 3/4 x 2 1/4 in.


ANTI-RATTLE SPRING  
NO. 999  
Furnished with Shutter Dogs  
when so ordered.

\*NO. 9917  
8 1/4 x 3 in.

Twelve in a box, with lag screws and washers. Furnished with expansion bolts, when so ordered. \*Not reversible, state hand. Left hand shown.

Prefix letters for finish. DD dead black; HD half polished.

# Bolts




NO. 9582  
 $5\frac{1}{8} \times 1\frac{3}{4}$  in.  
 Bolt projects  $1\frac{1}{4}$  in.  
 Six in a box, with screws.




NO. 9580  
 $3\frac{1}{2} \times 1\frac{3}{8}$  in.  
 Bolt projects  $\frac{3}{4}$  in.  
 Six in a box, with screws.

# Chimney Iron




NO. 9900




NO. 9581  
 Plate  $3\frac{1}{2} \times 1\frac{3}{8}$  in.  
 Length, over all  $12\frac{1}{2}$  in.  
 Bolt projects  $\frac{3}{4}$  in.  
 Six in a box, with screws.

NO. 9900  
 Length  $31\frac{5}{8}$  in.  
 One in a package  
 with lag bolt and  
 washer.




# Foot Scraper



NO. 9090  
 Extreme length 12 in. Width  $6\frac{1}{4}$  in.  
 Projection  $6\frac{1}{2}$  in.  
 When ordered for use on stone or cement, the ends are bent to  
 project downward.  
 One in a box, with lag screws

# Drive Screws



Furnished with articles where required.


*Prefix letters for finish. DD dead black; HD half polished*



## Garage Hardware

81


DOOR BOLT



NO. 3988


End case  $3\frac{3}{4} \times 2\frac{1}{2}$  in.  
Center case  $2\frac{1}{8} \times 2\frac{1}{2}$  in.  
Rod  $\frac{1}{2}$  in. dia.  
Adjustable for doors  
7'11 $\frac{1}{2}$ " to 8'6"  
Can be adapted to  
shorter doors.  
Furnished in D  
finish only.  
One in a package,  
with screws.

DOOR HOLDER




NO. 3

Arm bracket  $2\frac{1}{4} \times 3\frac{1}{4}$  in.  
Strike  $2\frac{5}{8} \times 3\frac{1}{4}$  in.  
Length, over all 31 in.  
Furnished in D finish only.  
One pair in a box, with screws.



DOOR PULL




NO. 9286  
 $9\frac{3}{4} \times 4$  in.

Three in a box, with screws.

T HINGE  
(Loose Pin)

Reversible. May be applied as a half surface  
or full surface hinge.



NO. 9730

Reverse Pad  $6 \times 1\frac{5}{8}$  in.  
Lengths 20 or 30 in.  
In ordering, state length.

One pair in a package, with screws and through-bolts.

GARAGE DOOR LOCK



STRIKE NO. 1

For single doors.


Furnished when so ordered.

For pairs of hinged doors  $1\frac{1}{8}$  to  $2\frac{3}{4}$  in. thick opening out.

The broad latching surface of the strike insures a safe grip for the latch bolt  
regardless of how much the door may sag.

Operates by key from outside and thumb piece inside. The stop holds  
the bolt retracted.

Furnished in D finish only. One in a box, with screws.



NO. 200

Case  $4\frac{1}{2} \times 4\frac{5}{8}$  in.


Backset 3 in.



Prefix letters for finish. DD or D dead black; HD half polished.

82

# Odd Thumb Latches and Hinge Plates



NO. 980  
8½ x 3 in.  
Furnished with No. 9041 Latch  
Bar shown on page 77.  
Two in a box, with latch bars.




NO. 9725  
Length 22½ in.  
Butt stock 4 in.  
Two in a package.




NO. 9724  
Length 27¼ in., width 4 in.  
Butt stock 3¾ in.  
Two in a package.

Furnished with drive screws.




NO. 988  
9 x 2½ in.  
Furnished with No. 9041 Latch  
Bar shown on page 77.  
Two in a box, with latch bars.

## Letter Boxes



NO. 9990  
Overall, length 16 in. Width 12 in.  
Inside of box 5 x 11 x 3 in.

Furnished with screws.




NO. 9991  
Overall, length 19 in. Width 8 in.  
Inside of box 10 x 6 x 3 in.

*Prefix letters for finish; DD dead black; HD half polished.*



## EARLY AMERICAN AND TRADITIONAL LANTERNS




THE quaint, interesting reproductions of old lanterns on the following pages are inseparably a part of the American Colonial and traditional European dwelling. In days of old they played an important role in domestic life, shining from their hangers as beacons to guide footsteps over winding paths, or occupying the center of activities during long evenings of close companionship. Today, they are the finishing marks of reality for modern buildings portraying the styles of early America and Europe. Applied at the entrances, they fix the stamp of authenticity to the exterior. In interiors, they may be hung by a fireplace, over a mantel, suspended from the ceiling or attached to the wall, to add that elusive atmosphere that somehow emanates from the ironwork of the old blacksmith.

These lanterns are made for use with modern electricity and serve a practical as well as an ornamental purpose. Unless otherwise noted in the description, lanterns are furnished without sockets or wiring. Lanterns with wall brackets are furnished with wood and machine screws and with a

standard spider for attaching where required. Ceiling fixtures are furnished regularly, only where illustrated. Two finishes can be provided; DD or dead black and HD, half polished. When furnished in DD finish the lanterns are made in copper and when finished in HD, they are made in zinc.


## Lanterns

84




NO. 9920

NO. 9920  
 With WALL BRACKET  
 Height of Lantern 8 in.  
 Diameter  $4\frac{1}{4}$  in.  
 Base of bracket  $3\frac{3}{4}$  in. dia.  
 Center of bracket to top  $3\frac{3}{4}$  in.  
 Extreme projection 7 in.




NO. 9931

NO. 9931  
 With CEILING FIXTURE  
 Height of lantern  $10\frac{3}{4}$  in.  
 Diameter 5 in.  
 Length of chain 36 in.  
 Canopy 5 in. dia.



NO. 9930

NO. 9930  
 With CEILING FIXTURE  
 Height of lantern 8 in.  
 Diameter  $4\frac{1}{4}$  in.  
 Length of chain 36 in.  
 Canopy 5 in. dia.



NO. 9921


NO. 9921  
 With WALL BRACKET  
 Height of lantern  $10\frac{3}{4}$  in.  
 Diameter 5 in.  
 Base of bracket  $4\frac{3}{4}$  in. dia.  
 Center of bracket to top  $4\frac{1}{2}$  in.  
 Extreme projection  $8\frac{3}{4}$  in.

*Prefix letters for finish; DD dead black; HD half polished.*



# Lanterns

85




NO. 9922

NO. 9922  
With WALL BRACKET  
Height of lantern  $13\frac{1}{2}$  in.  
Diameter 6 in.  
Base of bracket  $4\frac{3}{4}$  in. dia.  
Center of bracket to top  $5\frac{1}{4}$  in.  
Extreme projection  $9\frac{1}{2}$  in.



NO. 9924


NO. 9924  
With WALL BRACKET  
Height of lantern  $9\frac{1}{2}$  in.  
Base  $4\frac{1}{2} \times 4\frac{1}{2}$  in.  
Base of bracket  $3\frac{7}{8} \times 4\frac{5}{8}$  in.  
Center of bracket to top  $6\frac{1}{2}$  in.  
Extreme projection 6 in.  
Not furnished with ceiling  
fixture.



NO. 9932


NO. 9932  
With CEILING FIXTURE  
Height of lantern  $13\frac{1}{2}$  in.  
Diameter 6 in.  
Length of chain 36 in.  
Canopy 5 in. dia.

## Lanterns




NO. 9923

NO. 9923  
With WALL BRACKET  
Height of lantern  $9\frac{3}{4}$  in.  
Diameter 6 in.  
Base of bracket  $4\frac{3}{4}$  in. dia.  
Center of bracket to top  $6\frac{3}{4}$  in.  
Extreme projection 7 in.



NO. 9933

NO. 9933  
With CEILING FIXTURE  
Height of lantern  $9\frac{3}{4}$  in.  
Diameter 6 in.  
Length of chain 36 in.  
Canopy 5 in. dia.




\*NO. 9926

\*NO. 9926  
With WALL BRACKET  
Height of lantern  $10\frac{1}{2}$  in.  
Diameter  $4\frac{3}{4}$  in.  
Base of bracket  $4\frac{3}{4}$  in.  
Center of bracket to top  $13\frac{1}{2}$  in.  
Extreme projection  $7\frac{1}{2}$  in.

\*NO. 9927  
With WALL BRACKET  
Height of lantern  $9\frac{1}{2}$  in.  
Diameter 6 in.  
Base of bracket  $4\frac{3}{4}$  in. dia.  
Center of bracket to top 14 in.  
Extreme projection  $8\frac{1}{4}$  in.

\*Nos. 9927 and 9926 are furnished with special bulb sockets. The use of a candle shaped bulb as Mazda T10 is suggested.



\*NO. 9927



## PART III

# LOCKS


## AND

# LATCHES

*Numbers*

<i>Number</i>	<i>Page</i>	<i>Number</i>	<i>Page</i>	<i>Number</i>	<i>Page</i>
7045 .....	90	7233 .....	91	7465 .....	91
7059 .....	92	7233½ .....	91	7465½ .....	91
7065 .....	93	7241 .....	94	7580 .....	89
7065⅞ .....	93	7265 .....	93	7795 .....	91
7074 .....	93	7265⅞ .....	93	7795⅞ .....	91
7074½ .....	93	7341 .....	94	7906¾ .....	90
7090 .....	90	7343 .....	95	7906⅞ .....	90
7149 .....	90	7349½ .....	94	7907¾ .....	90
7159 .....	92	7357½ .....	95	7907⅞ .....	90
7159½ .....	92	7409 .....	88	50700 .....	89
7159¾ .....	92	7414 .....	88	50700½ .....	89
7165 .....	91	7419 .....	89	50701 .....	89
7165½ .....	91	7451 .....	88	50701½ .....	89
7177 .....	90	7455 .....	88		

# Rim Knob Locks



NO. 7409

NO. 7409

Reversible

Case 3 x 4 x 3/4 in.

Strike 3 x 3/4 x 3/4 in.

Backset, hub 3 1/4 in.; keyhole 1 3/4 in.; 1/8 in. Bronze Hub

Cast bronze bolts

1 tumbler

6 changes

OPERATES

The latch bolt is operated by knob from either side. The key projects or retracts the dead bolt from either side. The thumb bolt is projected by thumbpiece from inside.

NO. 7451

Reversible

Case 3 3/4 x 5 7/8 x 3/4 in.

Strike 3 3/4 x 7/8 x 3/4 in.

Backset, hub 4 3/4 in.; keyhole 2 3/8 in.; 1/8 in. Bronze Hub


Cast bronze bolts

1 tumbler


12 changes

OPERATES

The latch bolt is operated by knob from either side. The dead bolt is projected or retracted by key from either side. The slide inside projects the thumb bolt.



NO. 7451



NO. 7414

NO. 7414

Case 3 3/4 x 5 1/4 x 3/4 in.

Backset, hub 4 in.; keyhole 2 in.

Strike 3 3/4 x 1 x 3/4 in.; 1/8 in. bronze hub.

Cast bronze bolts

3 tumblers

640 changes

OPERATES

The latch bolt is operated from either side by knob. The key projects or retracts the dead bolt from either side.

NO. 7455

Reversible

Case 4 x 3 3/8 x 3/4 in.

Backset 2 5/8 in.

Strike 4 x 3/4 x 3/4 in.

Spacing 2 1/2 in.

1/8 in. Bronze Hub

Cast bronze bolts


1 tumbler

12 changes

Has bronze works

OPERATES

The latch bolt is operated by knob from either side. The key projects or retracts the dead bolt from either side.




NO. 7455

All furnished with oval-head wood screws.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.



## Rim Knob Locks



NO. 7419

NO. 7419  
Reversible

Case  $5\frac{3}{8} \times 5 \times 1\frac{1}{4}$  in.

Backset  $2\frac{1}{2}$  in.

$\frac{1}{8}$  in. Bronze Hub

Strike  $5\frac{3}{8} \times 1\frac{1}{4} \times 1\frac{1}{4}$  in.


Cast bronze bolts

3 tumblers

36 changes

### OPERATES

The latch bolt is operated by knob from either side. The key projects or retracts the dead bolt from either side.



Strike for  
single doors



Dummy Case for use as  
strike on pairs of doors

(Shown with knob No. 7922. Knob is not included with lock.)

Case  $3\frac{3}{4} \times 5\frac{1}{2} \times 3\frac{3}{4}$  in.

Backset, Hub 4 in.; keyhole 2 in.

Strike  $3\frac{3}{4} \times 2 \times 3\frac{3}{4}$  in.;  $\frac{1}{8}$  in. bronze hub

Cast bronze bolts

3 tumblers

640 changes

OPERATES: The latch bolt is operated from either side by knob. The key projects or retracts the dead bolt from either side.



DROP HANDLE NO. 50757 $\frac{1}{2}$

NO. 50757 for lock side.

$2\frac{3}{4}$  in. dia.

ROSE NO. 50705

2 in. dia.

(For Ring only)

\*NO. 50700

(With strike for single doors)

\*NO. 50700 $\frac{1}{2}$

(Same as No. 50700 but with  
0580 $\frac{7}{8}$  class master key)


\*NO. 50701

(With strike for pairs of doors)


\*NO. 50701 $\frac{1}{2}$

(Same as No. 50701 but with  
0580 $\frac{7}{8}$  class master key)

## Rim Front Door Lock



\*NO. 7580



Outside View Applied

Case  $5 \times 8 \times 1$  in.

Strike  $5 \times 1\frac{1}{4} \times 1$  in.

Backset, Hub 6 in.; Cylinder  $2\frac{3}{4}$  in.

Hub,  $\frac{3}{8} \times \frac{1}{8}$  in. swivel.

Cast bronze case and works

Thumb knob  $1\frac{1}{8} \times \frac{5}{8}$  in. Easy spring latch bolt.

One No. 251 cylinder

3 keys, class 27

Changes unlimited

### OPERATES

The latch bolt is operated by the knobs from either side and by the key from outside at all times. The dead bolt is operated by the key from outside and by the thumb knob inside. The outside knob is locked by the stop in the lock face.

Rim Locks furnished with oval-head wood screws. \*Not reversible. State hand. Right hand shown.


Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.



## Mortise Latch

FOR THUMB LATCH BOTH SIDES

(See illustration on page 46)



NO. 7177

NO. 7177

Reversible

Japanned iron case  $2\frac{1}{4} \times 3\frac{1}{2} \times \frac{5}{8}$  in.

Backset  $2\frac{5}{8}$  in.

Front  $4\frac{1}{4} \times 1$  in.

Furnished 3 in. backset, when so ordered; width of case  $\frac{7}{8}$  in. more than backset.

Strike, lip to center  $1\frac{1}{4}$  in.

Cast bronze bolt, easy spring.

OPERATES: By thumb latch from either side.

## Mortise Knob Latches

Reversible

NO. 7045

Japanned iron case  $1\frac{5}{8} \times 3\frac{1}{4} \times \frac{1}{8}$  in. Backset  $2\frac{1}{2}$  in.

Furnished  $1\frac{1}{2}$ , 2,  $2\frac{1}{4}$  or  $2\frac{3}{4}$  in. backset when so ordered; width of case  $\frac{5}{8}$  in. more than backset.


Front  $3\frac{3}{8} \times \frac{7}{8}$  in.

Iron hub  $\frac{1}{8}$  in.


Strike, lip to center 1 in.

Cast bronze bolt, easy spring.

OPERATES: By knob from either side.



NO. 7045



NO. 7149

NO. 7090 heavier type

NO. 7149

Japanned iron case  $2\frac{1}{4} \times 3\frac{1}{8} \times \frac{5}{8}$  in. Front  $4 \times 1$  in.

Backset  $2\frac{3}{4}$  in. Furnished 2,  $2\frac{1}{4}$  or  $2\frac{1}{2}$  in. backset when so ordered; width of case  $\frac{11}{16}$  in. more than backset.

NO. 7090

Japanned iron case.  $2\frac{7}{8} \times 3\frac{1}{8} \times \frac{3}{4}$  in. Front  $4\frac{1}{2} \times 1\frac{1}{8}$  in.

Backset  $2\frac{3}{4}$  in. Furnished  $2\frac{1}{4}$ ,  $2\frac{1}{2}$  or 3 in. backset when so ordered; width of case  $\frac{7}{8}$  in. more than backset.

Nos. 7149, 7090

Cast bronze bolt, easy spring.

Bronze hub  $\frac{1}{8}$  in.

Strike, lip to center  $1\frac{1}{4}$  in.

OPERATES: By knob from either side.

## Mortise Knob Locks

NO. 7906 $\frac{3}{4}$

Reversible

Japanned iron case  $3\frac{1}{8} \times 5\frac{1}{2} \times \frac{5}{8}$  in.

Backset, to keyhole,  $2\frac{1}{8}$  in.; to hub 5 in.


Front  $5\frac{1}{8} \times 1$  in. Strike, lip to center  $1\frac{1}{2}$  in. Bronze hub  $\frac{1}{8}$  in.

Cast bronze bolts. Easy spring latch bolt.


NO. 7906 $\frac{7}{8}$

Same as No. 7906 $\frac{3}{4}$  but has 080 $\frac{7}{8}$  class master key.

OPERATES: Latch bolt by knob from either side. Dead bolt by key from either side.



NOS. 7906 $\frac{3}{4}$ , 7906 $\frac{7}{8}$



NOS. 7907 $\frac{3}{4}$ , 7907 $\frac{7}{8}$

\*NO. 7907 $\frac{3}{4}$

Not reversible

Japanned iron case  $3\frac{1}{8} \times 5\frac{1}{2} \times \frac{5}{8}$  in.

Backset, long side to keyhole,  $2\frac{1}{8}$  in.; to hub 5 in.

Front  $5\frac{3}{8} \times 1\frac{1}{8}$  in.,  $\frac{1}{2}$  in. rabbet. Strike, lip to center  $1\frac{3}{8}$  in.

Cast bronze bolts. Bronze hub  $\frac{1}{8}$  in. Easy spring latch bolt.

\*NO. 7907 $\frac{7}{8}$

Same as No. 7907 $\frac{3}{4}$  but has 080 $\frac{7}{8}$  class master key.

OPERATES: Latch bolt by knob from either side. Dead bolt by key from either side.

All Locks and Latches furnished with screws.


\*In ordering, state hand. Right hand shown.

Prefix letters for finish, EH colonium metal; DH bronze metal, black finish; DD dead black; HD half polished



## Mortise Knob Locks

91



NOS. 7165, 7165½

## NO. 7165

Reversible

Japanned iron case  $4\frac{1}{4} \times 3\frac{1}{2} \times \frac{5}{8}$  in.Backset  $2\frac{3}{4}$  in.Spacing  $2\frac{5}{8}$  in.Furnished  $3\frac{1}{2}$  in backset, when so ordered;  
width of case  $\frac{3}{4}$  in. more than backset.Front  $6\frac{1}{4} \times 1\frac{1}{8}$  in. Strike, lip to center  $1\frac{1}{8}$  in. Bronze hub  $\frac{1}{8}$  in.  
Cast bronze bolts. Easy spring latch bolt. 3 tumblers. 640 changes.

## NO. 7165½

Same as No. 7165 but with 0807/8 class master key.

## OPERATES

The latch bolt is operated by knob from either side. The key operates the dead bolt from either side.

## NO. 7465

Reversible

Japanned iron case  $4\frac{1}{4} \times 3\frac{1}{2} \times \frac{5}{8}$  in.Backset  $2\frac{3}{4}$  in., long side.Spacing  $2\frac{5}{8}$  in.Furnished  $1\frac{3}{8}$ ,  $1\frac{5}{8}$ , 2 or  $2\frac{1}{4}$  in. backset when so ordered;  
width of case  $\frac{3}{4}$  in. more than backset.Front  $6\frac{1}{2} \times 1\frac{1}{8}$  in.,  $\frac{1}{2}$  in. rabbet beveled  $\frac{1}{8}$  in. 2 in.Strike, lip to center  $1\frac{1}{4}$  in. Bronze hub  $\frac{1}{8}$  in.


Cast bronze bolts, Easy spring latch bolt. 3 tumblers. 640 changes.

## NO. 7465½

Same as No. 7465 but has 0807/8 class master key.

## OPERATES

The latch bolt is operated by knob from either side. The key operates the dead bolt from either side.



Nos. 7465, 7465½

## NO. 7795

Reversible

Japanned iron case  $4\frac{1}{8} \times 3\frac{1}{2} \times \frac{1}{8}$  in.Backset  $2\frac{3}{4}$  in.Spacing  $2\frac{5}{8}$  in.Front  $6\frac{1}{8} \times 1$  in.Bronze hub  $\frac{1}{8}$  in.

Strike, lip to center 1 in.


Cast bronze bolts. Easy spring latch bolt. 1 tumbler. 24 changes.

## NO. 7795½

Same as No. 7795 but with 195 class master key and has  
3 tumblers and 250 changes.

## OPERATES

The latch bolt is operated by knob from either side. The key operates the dead bolt from either side.



NOS. 7795, 7795½

## NO. 7233

Reversible

Japanned iron case  $4\frac{5}{8} \times 3\frac{1}{2} \times \frac{5}{8}$  in.Backset  $2\frac{3}{4}$  in.Front  $6\frac{1}{2} \times 1$  in.Spacing, knob to thumb knob  $1\frac{7}{8}$  in.;Knob to key  $3\frac{1}{8}$  in.Strike, lip to center  $1\frac{3}{8}$  in. Bronze hubs  $\frac{1}{8}$  and  $\frac{1}{8}$  in.


Cast bronze bolts. Easy spring latch bolt. 3 tumblers. 640 changes.

## NO. 7233½

Same as No. 7233 but has 0807/8 class master key.

## OPERATES

The latch bolt is operated from either side by the knob. The dead bolt is operated from the outside by the key and from the inside by the thumb knob.




NOS. 7233, 7233½

All locks furnished with screws.

Prefix letters for finish, EH colonium metal; DH bronze metal, black finish; DD dead black; HD half polished

## Mortise Communicating Door Locks

92



NO. 7159 1/2

NO. 7159 1/2

Reversible

Japanned iron case 4 1/4 x 3 1/2 x 5/8 in.

Backset 2 3/4 in.

Spacing 2 5/8 in.

Front 6 1/4 x 1 1/8 in.

Bronze hubs 1 1/8 and 1 1/8 in.

Strike, lip to center 1 in.

Cast bronze bolts. Easy spring latch bolt.

Thumb Knob No. 7145

OPERATES

The latch bolt is operated by knob from either side. The dead bolt is operated by the thumb knob from the inside.

NO. 7159 3/4

Reversible

Japanned iron case 4 1/4 x 3 1/2 x 5/8 in.

Backset 2 3/4 in.

Spacing 2 5/8 in.

Front 6 1/4 x 1 in.

Bronze hubs 1 1/8 and 1 1/8 in.


Strike, lip to center 1 in.

Cast bronze bolts. Easy spring latch bolt.

Thumb Knob No. 7145

OPERATES

The latch bolt is operated by knob from either side. Thumb knobs operate the split dead bolt from either side and lock against each other.



NO. 7159 3/4

NO. 7059

Reversible

Japanned iron case 3 5/8 x 3 1/4 x 1 1/8 in.

Backset 2 5/8 in.

Spacing 2 3/8 in.

Furnished 2 in. backset when so ordered;  
width of case 1 1/8 in. more than backset.

Front 5 1/2 x 1 1/8 in.

Bronze hubs 1 1/8 in. and 1 1/8 in.


Cast bronze bolts.

Easy spring latch bolt.

Thumb Knob No. 7145

OPERATES

The latch bolt is operated by knob from either side. The thumb knob inside and the key outside operate the dead bolt.



NO. 7059

NO. 7159

Reversible

Japanned iron case 3 5/8 x 3 1/4 x 1 1/8 in.

Backset 2 5/8 in.

Spacing 2 3/8 in.

Furnished 2 in. backset when so ordered;  
width of case 1 1/8 in. more than backset.

Front 5 1/2 x 1 1/8 in.

Bronze hubs 1 1/8 in. and 1 1/8 in.

Strike, lip to center 1 in.


Cast bronze bolts.

Easy spring latch bolt.

Thumb Knob No. 7145

OPERATES

The latch bolt is operated by the knob from either side. The dead bolt is operated by the thumb knob from the inside.



NO. 7159

All locks furnished with screws.


Prefix letters for finish, EH colonium metal; DH bronze metal, black finish; DD dead black; HD half polished



## Mortise Knob Locks

FOR USE WITH LEVER HANDLES

93



NOS. 7065, 7065 $\frac{7}{8}$

### NO. 7065

Reversible

Japanned iron case  $4\frac{3}{4} \times 2\frac{3}{8} \times \frac{5}{8}$  in.

Backset  $1\frac{1}{2}$  in.

Spacing  $2\frac{5}{8}$  in.

Furnished  $1\frac{1}{4}$ ,  $1\frac{3}{4}$ , or 2 in. backset when so ordered; width of case  $\frac{7}{8}$  in. more than backset.

Front  $6\frac{3}{4} \times 1\frac{1}{8}$  in.

Bronze hub  $\frac{5}{8}$  in.

Strike, lip to center  $1\frac{1}{8}$  in.

Easy spring latch bolt.

French spring hub.

Cast bronze bolts. 3 tumblers. 640 changes.

### NO. 7065 $\frac{7}{8}$

Same as No. 7065 but with No. 080 $\frac{7}{8}$  class master key.

OPERATES

The latch bolt is operated by knob or lever from either side. The key operates the dead bolt from either side.

### NO. 7265

\*Not Reversible

Japanned iron case  $4\frac{3}{4} \times 2\frac{3}{8} \times \frac{5}{8}$  in.

Backset  $1\frac{1}{2}$  in. long side

Spacing  $2\frac{5}{8}$  in.

Furnished  $1\frac{3}{4}$ , 2, or  $2\frac{1}{4}$  in. backset when so ordered; width of case  $\frac{7}{8}$  in. more than backset

Front  $7 \times 1\frac{1}{4}$  in.,  $\frac{1}{2}$  in. rabbet, beveled  $\frac{1}{8}$  in 2 in.

Strike, lip to center  $1\frac{1}{4}$  in.

Bronze Hub  $\frac{5}{8}$  in.

Easy spring latch bolt

French spring hub

Cast bronze bolts

3 tumblers


640 changes

### NO. 7265 $\frac{7}{8}$


Same as No. 7265 but with No. 080 $\frac{7}{8}$  class master key

OPERATES

The latch bolt is operated by knob or lever from either side. The key operates the dead bolt from either side.



NOS. 7265, 7265 $\frac{7}{8}$



NO. 7074

### NO. 7074

Reversible

Japanned iron case  $4\frac{3}{4} \times 2\frac{5}{8} \times \frac{5}{8}$  in.

Backset  $1\frac{1}{2}$  in.

Spacing  $2\frac{5}{8}$  in.

Furnished  $1\frac{3}{4}$  or 2 in. backset when so ordered; width of case  $\frac{7}{8}$  in. more than backset

Front  $6\frac{5}{8} \times 1$  in.

Bronze hubs  $\frac{3}{8}$  and  $\frac{5}{8}$  in.

Easy spring latch bolt

Strike, lip to center  $1\frac{1}{8}$  in.

French Spring Hub

Thumb Knob No. 7145

OPERATES

The latch bolt is operated by knob or lever from either side. The thumb knob inside, operates the dead bolt.

### NO. 7074 $\frac{1}{2}$

\*Not reversible

Japanned iron case  $4\frac{3}{4} \times 2\frac{3}{8} \times \frac{5}{8}$  in.

Backset  $1\frac{1}{2}$  in. long side

Spacing  $2\frac{5}{8}$  in.

Furnished 2 in. backset when so ordered; width of case  $\frac{7}{8}$  in. more than backset

Front  $6\frac{7}{8} \times 1\frac{1}{8}$  in.  $\frac{1}{2}$  in. rabbet, beveled  $\frac{1}{8}$  in 2 in. Bronze Hubs  $\frac{3}{8}$  and  $\frac{5}{8}$  in.

Easy spring latch bolt


Strike, lip to center  $1\frac{1}{4}$  in.

French Spring Hub

Thumb Knob No. 7145

OPERATES

The latch bolt is operated by knob or lever from either side. The thumb knob inside, operates the dead bolt.



NO. 7074 $\frac{1}{2}$

All locks furnished with screws.

\*State hand. Right hand shown.


Prefix letters for finish, EH colonium metal; DH bronze metal, black finish; DD dead black; HD half polished

# Mortise Front Door Locks

With Ball Bearing Cylinder

94

FOR USE WITH LEVER HANDLES



NO. 7341

NO. 7341

\*Not reversible

Japanned iron case  $5\frac{3}{4} \times 2\frac{1}{2} \times \frac{3}{4}$  in.

Backset  $1\frac{1}{2}$  in.

Furnished 1 or 2 in. backsets, when so ordered; width of case 1 in. more than backset

Spacing  $3\frac{7}{8}$  in.

Front  $7\frac{7}{8} \times 1\frac{1}{8}$  in., beveled  $\frac{1}{8}$  in 2 in.

Strike, lip to center  $1\frac{1}{2}$  in.

Easy spring latch bolt French spring hub,  $\frac{3}{8} \times \frac{1}{8}$  in. swivel  
One cylinder No. 253 3 keys Class 27 Unlimited changes  
Thumb knob No. 7145

OPERATES

Latch bolt by lever handle from either side and by key from outside at all times.  
Dead bolt by key from the outside and thumb knob inside. Outside lever is locked by stop in face.

NO. 7241

\*Not reversible

Japanned iron case  $5\frac{3}{4} \times 2\frac{1}{2} \times \frac{3}{4}$  in.

Backset  $1\frac{1}{2}$  in. long side

Furnished 2 in. backset, when so ordered; width of case 1 in. more than backset

Spacing  $3\frac{7}{8}$  in.


Front  $7\frac{7}{8} \times 1\frac{1}{4}$  in.,  $\frac{1}{2}$  in. rabbet

Strike, lip to center  $1\frac{1}{2}$  in.

Easy spring latch bolt French spring hub,  $\frac{3}{8} \times \frac{1}{8}$  in. swivel  
One cylinder No. 253 3 keys Class 27 Unlimited changes  
Thumb knob No. 7145


OPERATES

Latch bolt by lever handle from either side and by key from outside at all times.  
Dead bolt by key from the outside and thumb knob inside. Outside lever is locked by stop in face.



NO. 7241

FOR HANDLE OUTSIDE, KNOB INSIDE



NO. 7349 1/2

NO. 7349 1/2

Reversible

Japanned iron case  $5\frac{1}{4} \times 3\frac{7}{8} \times \frac{3}{4}$  in.

Backset  $2\frac{3}{4}$  in.

Front  $7\frac{5}{8} \times 1\frac{1}{4}$  in.

Furnished 2 or 3 in. backset when so ordered; width of case  $1\frac{1}{8}$  in. more than backset

Spacing, knob to cylinder  $2\frac{1}{2}$  in.

Hub  $\frac{1}{8}$  in.

Strike, lip to center  $1\frac{1}{2}$  in.


Cast bronze bolts Thumb knob No. 7145  
One cylinder No. 253 3 keys Class 27 Unlimited changes

OPERATES

The latch bolt is operated by the thumbpiece outside and by knob inside. Both latch and dead bolts are operated by key from the outside at all times. From the inside, the dead bolt is operated by the thumb knob. The thumbpiece of the handle can be made inoperative by the stop in face of lock.

\*State hand. Right hand shown.

All locks furnished with screws.




Prefix letters for finish, EH colonium metal; DH bronze metal, black finish; DD dead black; HD half polished.



## Mortise Front Door Locks

With Ball Bearing Cylinder

FOR KNOBS BOTH SIDES



NO. 7343

NO. 7343

Reversible

Japanned iron case  $5\frac{5}{8} \times 3\frac{5}{8} \times \frac{3}{4}$  in.

Backset  $2\frac{1}{2}$  in.

Front  $7\frac{7}{8} \times 1\frac{1}{8}$  in.

Furnished  $2\frac{3}{4}$  in. backset when so ordered; width of case  $1\frac{1}{8}$  in. more than backset.

Spacing, knob to thumb knob  $2\frac{3}{8}$  in.; knob to cylinder  $3\frac{7}{8}$  in.

Strike, lip to center  $1\frac{1}{4}$  in. Hubs  $\frac{3}{8} \times \frac{1}{8}$  in. swivel and  $\frac{1}{8}$  in.

Easy spring latch bolt.

Cast bronze bolts

Thumb knob No. 7145


One cylinder No. 253

3 keys, Class 27


Unlimited changes

### OPERATES

The latch bolt is operated by knob from either side. The outside knob may be made inoperative by the stop in face of lock. The key operates both latch and dead bolts from the outside at all times. From the inside, the dead bolt is operated by thumb knob.



FOR HANDLE BOTH SIDES



NO. 7357 1/2

NO. 7357 1/2

Reversible

Japanned iron case  $5\frac{1}{4} \times 3\frac{5}{8} \times 1\frac{1}{8}$  in.

Backset  $2\frac{1}{2}$  in.

Front  $7\frac{5}{8} \times 1\frac{1}{8}$  in.

Strike, lip to center  $1\frac{1}{2}$  in.

Easy spring latch bolt.

Cast bronze bolts


Thumb knob No. 7145

One cylinder No. 253. 3 keys, Class 27. Unlimited changes.

### OPERATES

The latch bolt is operated by thumbpiece from either side. The outside thumbpiece may be made inoperative by stop in face of lock. The key retracts both latch and dead bolts from the outside at all times. From the inside the dead bolt is operated by thumb knob.

The latch bolt may be held back by retracting it with the key and impressing the upper stop while in this position.



All locks furnished with screws.

*Prefix letters for finish, EH colonium metal; DH bronze metal, black finish; DD dead black; HD half polished.*



